NEW SOUTH WALES.

VITAL STATISTICS.

FIFTEENTH ANNUAL REPORT

FROM

THE REGISTRAR GENERAL, ON VITAL STATISTICS.

Presented to both Houses of Parliament, by Command.



SYDNEY:

THOMAS RICHARDS, GOVERNMENT PRINTER, PHILLIP-STREET.

1871.



VITAL STATISTICS.

THE REGISTRAR GENERAL to THE HONORABLE THE COLONIAL SECRETARY,

TRANSMITTING ABSTRACTS OF

MARRIAGES, BIRTHS, AND DEATHS

FOR THE YEAR 1870.

Registrar General's Office, Sydney, 1 August, 1871.

SIR,

I have the honor to forward herewith the Annual Abstracts of the Returns of Marriages, Births, and Deaths registered during the year 1870. I now proceed to make a few remarks on the results which are obtained from these Abstracts.

The number of names which were added to the records during the year were 33,902, making a Progress of grand total of 429,800 since the Act 19 Victoria No. 34 came into operation. The names placed on the records during the past year were distributed as follows:—

7,696 persons were married; 19,648 births were registered; and 6,558 deaths were also recorded.

The marriages and births were both in excess of those of the previous year by 49 and 405 respectively, Population and the deaths were 133 less than shown by the records of that year.

The population of the Colony on the 31st December last was estimated at 502,828, viz.:—280,351 males, and 222,477 females,—being an increase of 3.60 per cent.

By the returns of the Census, which was taken on the 2nd April last, the population of the Colony numbered 503,981 souls, viz.: 275,551 males, and 228,430 females. It will be seen that the difference between the estimated and actual number of the population was very trifling.

The arrivals by sea during the year were 18,621, while the departures by the same means were immigration, 14,206.

On the estimated basis of population, on the 30th June, 1870, the marriages were at the rate of Marriage, birth, 0.78, the births 3.98, and the deaths 1.32 to every 100 living.

Comparing these rates with the year 1869, in proportion to the population, marriages show a Public health. decrease of 0.02 per cent., births 0.05 per cent., and deaths 0.09 per cent.

The

The following table (A) shows the number of marriages, births, and deaths, registered in each quarter of the Year 1870, in Sydney, the suburbs, and country districts, respectively:—

(A.)

Table showing the number of Marriages, Births, and Deaths registered in the Colony of New South Wales, during each Quarter of the Year 1870.

			Births,			Deaths.	
Quarter ended—	Marriages.	Males.	Females.	Total.	Males.	Females.	Total.
Sydney—	1		1			100	
31st March	297	344	341	685	217	169	386
30th June	313	402	355	757	203	152	355
30th September	323	392	381	773	194	143	337
31st December	302	367	327	694	232	182	414
Total	1,235	1,505	1,404	2,909	846	646	1,492
Suburbs—							
31st March	72	282	314	596	111	89	200
30th June	59	372	307	679	98	95	193
30th September	60	344	310	654	117	70	187
31st December	52	312	305	617	123	87	210
Total	243	1,310	1,236	2,546	449	341	790
Country Districts—		the same of the sa					
31st March	646	1,585	1,649	3,234	753	463	1,216
30th June	539	1,793	1,700	3,493	712	410	1,122
30th September	576	1,927	1,965	3,892	639	355	994
31st December	609	1,889	1,685	3,574	610	334	944
Total	2,370	7,194	6,999	14,193	2,714	1,562	4,276
New South Wales—							
31st March	1,015	2,211	2,304	4,515	1,081	721	1,802
30th June	911	2,567	2,362	4,929	1,013	657	1,670
30th September	959	2,663	2,656	5,319	950	568	1,518
31st December	963	2,568	2,317	4,885	965	603	1,568
Total	3,848	10,009	9,639	19,648	4,009	2,549	6,558

MARRIAGES.

The marriages celebrated in the year 1870 amounted to 3,848, or 49 in excess of those registered in 1869, and 248 above the average of the preceding five years. Of this number of marriages there were performed,—

In Sydney	1,235	or	32.10]	per cent.
Suburbs	243	"	6.31	"
Country	2,370	"	61.59	"
Total	3,848	"	100.00	"

Proportional per-centage.

In proportion to population, the city shows a per-centage of 1.60, the suburbs of 0.45, the country 0.65.

Ratio of marriages.

The rate per 1,000 for the whole Colony in each year is as follows:—

1865. 1866. 1867. 1868. 1869. 1870.

8:90 8:25 7:80 8:18 7:98 7:79

Marriages celebrated according to Churches, the several denominations, including those performed by District Registrars, compared with those of the following year, were as follows, viz.:—

18,080 nie- 2009, 2011-ie besteundes dass dus 1	1869.	1870.	1869. Per cent.	1870. Per cent.	Increase. Per cent.	Decrease. Per cent.
Church of England	1,018	1,159	26.79	30.12	3.33	
Roman Catholic	901	908	23.72	23.60		0.12
Presbyterian.	663	548	17.45	14:24		3.21
Wesleyan	313	363	8.23	9.43	1.20	
Congregationalist.	106	82	2.79	2.13		0.66
Primitive Methodist	. 58	70	1.54	1.82	0.28	
Baptist	25	37	0.66	0.96	0.30	
Hebrew	13	4	0.34	0.10		0.24
Free Church of England	446	451	11.74	11.72		0.03
Unitarian, German, Evangelical, Christian Israelites,			0.04	0.20		0.05
Christians, and Free Gospel Church	13	11	0.34	0.29	• · · · · · · · · ·	
Registrars' Offices	243	215	6.40	5.59	• • • • • • • • • • • • • • • • • • • •	0.81
TOTAL	3,799	3,848	100.00	100.00	5.11	5.11

The number of marriages by District Registrars were—

n	Sydney	 	 	 	. 1
	Suburbs	 	 	 	. 3
	Country				
					215

Marriages by District Registrars.

The following table gives the number of marriages performed by each Denomination during the Decennial table of marriages.

(B.)

DENOMINATION.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.
	1 001	001	0.40	000	000	050	000	1.094	1.010	1 150
Church of England	1,021	921	842	868	886	856	832	1,024	1,018	1,159
Roman Catholic	783	824	836	945	934	873	881	912	901	
Presbyterian	814	962	966	945	935	856	767	698	663	548
Wesleyan	244	219	234	278	349	349	303	333	313	363
Primitive Methodist	49	71	55	60	54	49	49	51	58	70
Congregationalist	62	69	100	95	97	90	100	96	106	82
Baptist	22	22	41	28	34	49	38	21	25	37
Christian Israelite	2		1		1	2				
Unitarian	4	2	. 4	1	4	1	2	2	4	3
Hebrew	8	12	14	10	11	13	9	13	13	4
Latter Day Saints			1							
Free Church of England				5	21	45	186	350	446	451
German Evangelical						1	3	2	2	7
Christians								1	6	1
Free Gospel Church							**		1	
Registrars' Offices	213	224	220	245	252	278	256	233	243	215
TOTAL	3,222	3,326	3,314	3,480	3,578	3,462	3,426	3,736	3,799	3,848

The table below, compiled from the Marriage Registers, shows the number of persons married in 1870 who signed their names, as well as those who affixed their marks to the certificates of marriage:—

	No. of Marriages.	Full Signatures.	Marks.	Marks per cent.
Church of England	1,159	1,916	402	17:34
Roman Catholic		1,369	447	24.61
Presbyterian	548	965	131	11.95
Wesleyan		627	99	13.64
Primitive Methodist		120	20	14.28
Congregationalist		148	16	9.75
Baptist		70	4	5.41
Unitarian		6		
Hebrew		8		
Free Church of England.		725	177	19.62
German Evangelical	7	14		
Christians		2		
Registrars' Offices		323	107	24.88
Total	3,848	6,293	1,403	18.23

As regards the three divisions of the Colony the following results are obtained:—

	No. of	F	ull Signature	es.		Marks.		Marks
	Marriages.	Males.	Females.	Total.	Males.	Females.	Total.	per cent.
SydneySuburbs	1,235 243 2,370	1,123 219 1,938	983 217 1,813	2,106 436 3,751	112 24 432	252 26 557	364 50 989	14·74 10·29 20·86
Total	3,848	3,280	3,013	6,293	568	835	1,403	18.22

The next table (C) shows the number of marriages in each quarter for the last ten years, distinguishing those celebrated in Sydney, suburbs, and country districts, with the ratio on population, estimated at the middle of the year:—

(C.

Table showing the number of Marriages registered in the Colony of New South Wales, during each Quarter of the Years 1861 to 1870.

	Estimated Population at the middle of the Year.	31 March.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,00 living.
(1861 1862 1863	56,532 57,151 57,997	201 248 251	246 238 267	223 268 282	224 229 265	894 983 1,065	15:81 17:20 18:36
1864	60,299	277	279	263	278	1,097	18.18
Sydney	62,841	272	295	274	256	1,097	17.45
1 1000	65,580	269	277	254	242	1,042	15.88
1867 1868	68,587 71,310	294 304	277 321	260 281	246 286	1,077 1,192	15·70 16·71
1869	74,310	332	330	299	314	1,275	17:18
1870	77,131	297	313	323	302	1,235	16.01
TOTAL		2,745	2,843	2,727	2,642	10,957	
			•				
(1861	37,300	39	50	48	61	198	5.31
1862	39,575	52	50	63	49	214	5.40
1863	40,106	54 50	38	37 49	46 47	175 194	4.36
1864	41,698 43,456	68	47	51	63	229	5.27
Suburbs	45,350	46	55	55	56	212	4.6
1867	47,429	61	50	71	75	257	5.42
1868	49,313	68	72	61	52	253	5.18
1869	51,387	91	52	64	74	281	5.40
(1870	53,338	72	59	60	52	243	4.55
* TOTAL	8000000000	601	521	559	575	2,256	
(1861	259,500	505	561	549	515	2,130	8.20
1862	269,015	537	506	557	529	2,129	7.91
1863	273,057	475	519	547	533	2,074	7.59
1864	283,896	579	542	527	541	2,189	7.71
11005	295,865	609	547	567	529	2,252	7.61
Country Districts	308,765	555	538	573	542	2,208	7.15
1867	322,927	565	466	552	509	2,092	6.47
1868	335,749	582	544	602	563	2,291	6.82
1869 1870	349,877 363,162	574 646	546 539	572 576	551 609	2,243 $2,370$	6·41 6·52
Total		5,627	5,308	5,622	5,421	21,978	
	1					Charalyana	
(1861	353,332	745	857	820	800	3,222	9.11
1862	365,741	837	794	888	807	3,326	9.08
1863	371,160	780	824	866	844	3,314	8.92
1864	385,893	906	869	839	866	3,480	9.02
New South Wales. 1865	402,163	949	889	892	848	3,578	8.90
1800	419,695	870	870	882	840	3,462	8.25
1867	438,943	920 954	793 937	883 944	830 901	3,426	7·80 8·18
1868 1869	456,372 475,574	994	928	935	939	3,736 3,799	7.98
1870	493,631	1,015	911	959	963	3,848	7.79
TOTAL	******	8,973	8,672	8,908	8,638	35,191	

BIRTHS.

The number of births registered in 1870 was 19,648, being an increase of 405 over the previous year.

The proportion to the total number of registrations in the three municipal districts of the Colony is as follows:—

	Males.	Females.	Total.	Males. Per cent.	Females. Per cent.
Sydney	1,505	1,404	2,909	7.66	7.15
Suburbs	1,310	1,236	2,546	6.67	6.29
Country	7,194	6,999	14,193	36.61	35.62
	Contribution of November of security	-			
	10,009	9,639	19,648	50.94	49.06

As

Proportion of sexes.

As compared with 1869, the numbers were—

	1869.	1870.	Increase per cent.
In Sydney	2,845	2,909	2.25
" Suburbs	2,519	2,546	1.07
" Country	13,879	14,193	2.26
	-		
	19,243	19,648	2.10

The ratio of births to every 1,000 of estimated population, at the middle of each of the last six years, was as follows:—

1865. 42·97 1866. 40·38 1867. 41·73 1868. 40·50 1869. 40·46 1870. 39·80

the average being 40.97.

Upon the same calculation the registered births in 1870 were 1.40 per 1,000 below the mean of preceding five years.

Table D shows the quarterly registrations of births for the last ten years:—

(D.)

Table showing the number of Births registered in the Colony of New South Wales, during each Quarter of the Years 1861 to 1870.

1862 57,151 565 560 669 501 2,234 390 1864 60,299 610 555 653 584 2,432 403 1866 65,580 620 555 663 584 2,432 403 1866 65,580 620 555 643 620 2,478 377 1867 68,587 591 632 709 676 2,478 377 1868 71,310 650 680 678 585 2,593 363 1869 74,310 637 762 782 664 2,844 3,842 1870 [77,131 685 757 773 694 2,909 377 Total			Estimated Population at the middle of each Year.	31 Mar.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
1862 57,151 565 560 668 501 2,334 390 1864 60,299 610 585 653 584 2,432 403 1865 62,841 575 663 6692 599 2,529 402 1866 65,580 620 595 643 620 2,478 377 1868 71,310 650 680 678 585 2,593 363 1869 74,310 637 762 782 664 2,946 382 1870 77,131 685 757 773 694 2,909 377 Total									
1863 57,997 591 614 655 501 2,361 407 1864 60,299 610 555 653 584 2,432 403 1865 62,841 575 663 692 599 2,599 402 1866 65,550 620 505 643 620 2,478 377 1867 68,557 591 632 709 676 2,068 360 1869 74,310 637 762 782 664 2,845 382 1870 17,7131 685 757 773 694 2,909 377 Total		1861	56,532	476	640	661	549	2,326	41.14
Sydney		1862	57,151	565	560	608	501	2,234	39.08
Sydney		1863	57,997	591	614	655	501	2,361	40.70
1866 65,80 620 595 643 620 2,478 377 1867 68,887 591 6632 709 676 2,008 380 1868 71,310 650 680 678 585 2,593 3861 1870 74,310 685 757 773 694 2,909 377 TOTAL		1864	60,299	610	585	653	584	2,432	40.33
1866 65,80 620 595 643 620 2,478 377 1867 68,887 591 6632 709 676 2,008 380 1868 71,310 650 680 678 585 2,593 3861 1870 74,310 685 757 773 694 2,909 377 TOTAL				575	663	692	599	2,529	40.24
1867					595	643	620		37.78
1868									38.02
1869									36.36
Total									
Total									37.71
\$\begin{array}{c c c c c c c c c c c c c c c c c c c	Тольт			6,000	6.488		5 973	25.315	
1862 39,575 411 478 524 412 1,825 46-1 1863 40,106 458 456 500 458 1,872 46-6 1864 41,698 446 510 496 541 1,993 47-8 1865 43,456 491 510 514 545 2,060 47-4 1866 45,350 465 527 553 534 2,079 45-8 1867 47,429 534 557 600 598 2,289 48-2 1868 49,313 532 557 631 557 2,277 46-1 1869 51,387 581 679 615 644 2,519 49-0 1870 53,338 596 679 654 617 2,546 47-7 TOTAL	TOTAL				0,300			20,010	
1862 39,575 411 478 524 412 1,825 46-1 1863 40,106 458 456 500 458 1,872 46-6 1864 41,698 446 510 496 541 1,993 47-8 1865 43,456 491 510 514 545 2,060 47-4 1866 45,350 465 527 553 534 2,079 45-8 1867 47,429 534 557 600 598 2,289 48-2 1868 49,313 532 557 631 557 2,277 46-1 1869 51,387 581 679 615 644 2,519 49-0 1870 53,338 596 679 654 617 2,546 47-7 TOTAL		1861	37,300	363	486	511	478	1,838	49.27
Suburbs									46.11
1864									46.67
Suburbs 1865 1866 43,456 45,350 461 465 510 527 553 514 534 567 600 545 582 583 583 2,060 588 2,289 48:2 47:4 45:6 1867 1868 49,313 1869 532 1869 5338 596 679 615 654 614 617 2,519 2,519 49:0 1870 53,338 596 679 654 617 2,546 47:7 TOTAL 4,877 5,439 5,598 5,384 21,298 Country Districts 1861 1862 269,015 1863 273,057 2,717 2,717 2,712 2,730 1864 283,896 2,841 2,713 2,717 2,764 3,032 2,965 3,032 2,965 3,032 2,965 3,044 1866 308,765 3,026 3,026 3,047 3,276 3,044 1867 322,927 3,079				446	510	496			47.80
Suburbs				491	510	514			47.40
1867	Suburbs								45.84
1868									
Total 1869	· · · · · · · · · · · · · · · · · · ·								
Total									
Country Districts. 1861 259,500 2,872 2,399 2,852 2,894 10,517 40.5 1862 269,015 2,773 2,715 3,101 2,786 11,375 42.2 1863 273,057 2,717 2,764 3,083 2,882 11,446 41.9 1864 283,896 2,841 3,139 3,292 3,184 12,456 43.8 1865 295,865 3,032 2,965 3,448 3,249 12,694 42.9 1866 308,765 3,026 3,047 3,276 3,044 12,393 40.1 1867 322,927 3,079 3,079 3,725 3,537 13,420 41.5 1868 335,749 3,364 3,399 3,594 3,258 13,615 40.5 1869 349,877 3,298 3,430 3,679 3,472 13,879 39.6 1870 363,162 3,234 3,493 3,892 3,574 14,193 39.0 Total									47.78
1862	TOTAL			4,877	5,439	5,598	5,384	21,298	
1862									
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		1001	250 500	9 279	2 300	9 959	9 804	10.517	10.59
Country Districts.									
Country Districts.									
Country Districts 1865									
Total (1866) 308,765 3,026 3,047 3,276 3,044 12,393 40:1 1867 322,927 3,079 3,079 3,725 3,537 13,420 41:5 1868 335,749 3,364 3,399 3,594 3,258 13,615 40:5 1869 349,877 3,298 3,430 3,679 3,472 13,879 39:6 1870 363,162 3,234 3,493 3,892 3,574 14,193 39:0 Total (29,736 30,430 33,942 31,880 125,978 [1861 353,332 3,211 3,525 4,024 3,921 14,681 41:5 1862 365,741 3,749 3,753 4,233 3,699 15,434 42:1 1863 371,160 3,766 3,834 4,238 3,841 15,679 42:2 1864 385,893 3,897 4,234 4,441 4,309 16,881 43:7 1865 402,163 4,098 4,138 4,654 4,393 17,283 42:9 1866 419,695 4,111 4,169 4,472 4,198 16,950 40:3 1867 438,943 4,204 4,268 5,034 4,811 18,317 41:7 1868 456,372 4,546 4,636 4,903 4,400 18,485 40:5 1869 475,574 4,516 4,871 5,076 4,780 19,243 40:4 1870 493,631 4,515 4,929 5,319 4,885 19,648 39:8									
1867 322,927 3,079 3,079 3,725 3,537 13,420 41.5 1868 335,749 3,364 3,399 3,594 3,258 13,615 40.5 1869 349,877 3,298 3,430 3,679 3,472 13,879 39.6 1870 363,162 3,234 3,493 3,892 3,574 14,193 39.0 Total	Country Districts			,					
1868									
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$									
Total 363,162 3,234 3,493 3,892 3,574 14,193 39·0 29,736 30,430 33,942 31,880 125,978 [1861 353,332 3,211 3,525 4,024 3,921 14,681 41·5,679 42·2,1863 371,160 3,766 3,834 4,238 3,841 15,679 42·2,1863 1864 385,893 3,897 4,234 4,441 4,309 16,881 43·7,1865 402,163 4,098 4,138 4,654 4,933 17,283 42·9,1866 419,695 4,111 4,169 4,472 4,198 16,950 40·3,1866 1867 438,943 4,204 4,268 5,034 4,811 18,317 41·7,1868 456,372 4,546 4,636 4,903 4,400 18,485 40·5,1869 475,574 4,516 4,871 5,076 4,780 19,243 40·4,1870 493,631 4,515 4,929 5,319 4,885 19,648 39·8								1	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$,				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$									0000
New South Wales	TOTAL		************	20,100				120,576	
1862 365,741 3,749 3,753 4,233 3,699 15,434 42.11 1863 371,160 3,766 3,834 4,238 3,841 15,679 42.22 1864 385,893 3,897 4,234 4,441 4,309 16,881 43.77 1865 402,163 4,098 4,138 4,654 4,393 17,283 42.9 1866 419,695 4,111 4,169 4,472 4,198 16,950 40.3 1867 438,943 4,204 4,268 5,034 4,811 18,317 41.77 1868 456,372 4,546 4,636 4,903 4,400 18,485 40.5 1869 475,574 4,516 4,871 5,076 4,780 19,243 40.4 1870 493,631 4,515 4,929 5,319 4,885 19,648 39.8 1870 493,631 4,515 4,929 5,319 4,885 19,648 39.8		1861	353.332	3,211	3,525	4,024	3,921	14.681	41.55
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$									
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$									
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$									
New South Wales 1866 419,695 4,111 4,169 4,472 4,198 16,950 40.3 40.5							,		
1867 438,943 4,204 4,268 5,034 4,811 18,317 41.7. 1868 456,372 4,546 4,636 4,903 4,400 18,485 40.5. 1869 475,574 4,516 4,871 5,076 4,780 19,243 40.4. 1870 493,631 4,515 4,929 5,319 4,885 19,648 39.8.	New South Wales								
1868 456,372 4,546 4,636 4,903 4,400 18,485 40.5 1869 475,574 4,516 4,871 5,076 4,780 19,243 40.4 1870 493,631 4,515 4,929 5,319 4,885 19,648 39.8									
1869 475,574 4,516 4,871 5,076 4,780 19,243 40.4 1870 493,631 4,515 4,929 5,319 4,885 19,648 39.8									
1870 493,631 4,515 4,929 5,319 4,885 19,648 39.8									
									39.80
Total				40,613	42,357	46,394	43,237	172,601	

Ratio of births.

From this table it will be seen that in 1870 the ratio of births to every 1,000 was in-

 Sydney
 37.71

 Suburbs
 47.73

 Country
 39.08

Illegitimates.

The number of illegitimate children born was 755, consisting of 392 males and 363 females; or 3.84 per cent. of the total number of births recorded:—

(E.

Table showing the number of Children born out of Wedlock, in the Colony of New South Wales, from 1st January, 1861, to 31st December, 1870.

		Sydney.			Suburban.		Со	untry Distric	ets.		Total.	
Year.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total,
1861	58	61	119	17	16	33	166	140	306	241	,217	458
1862	59	56	115	24	28	52	178	160	338	261	244	505
1863	62	67	129	22	22	44	176	156	332	260	245	505
1864	64	56	120	32	23	55	202	202	404	298	281	579
1865	66	71	137	16	26	42	213	225	438	295	322	617
1866	79	78	157	21	30	51	203	215	418	303	323	626
1867	65	77	142	32	33	65	232	231	463	329	341	670
1868	67	82	149	30	28	58	253	239	492	350	349	699
1869	106	78	184	29	28	57	274	228	502	409	334	743
1870	90	95	185	52	38	90	250	230	480	392	363	755
TOTAL	716	721	1,437	275	272	547	2,147	2,026	4,173	3,138	3,019	6,157

The following table shows the number of cases of triplets and twins which have been recorded during the last 10 years:—

(F.)

Table showing the number of Triplets and Twins, born in the Colony of New South Wales, from 1st January, 1861, to the 31st December, 1870.

		Tri	plets.			Tw	vins.	
Year.	No. of Cases.	Males.	Females.	Total.	No. of Cases.	Males	Females.	Total.
		7	-	0	100	150	101	000
1861	2	1	5	6	160	159	161	320
1862	1		3	3	133	129	137	266
1863					122	134	110	244
1864					140	142	138	280
1865	3	5	4	9	164	144	182	326
1866	2	2	4	6	151	141	155	296
1867					158	148	166	314
1868	3	7	2	9	162	174	150	324
1869	4	6	6	12	165	161	169	330
	2	1	5	6	188	189	187	376
1870	2	1	0	O	100	100	101	0/1
TOTAL	17	22	29	51	1,543	1,521	1,555	3,076

^{*} Two still-born in each year, not registered.

† Six still-born, not registered.

DEATHS.

Decrease in mortality.

The number of deaths recorded during the year was 6,558, consisting of 4,009 males and 2,549 females,—being a decrease of 133, or 1.98 on the deaths of the previous year. The rate per cent. of the estimated population in the middle of the year is 1.33 as compared with 1.41 in the previous year.

Divisional pro-

The number and rate per cent. on the total deaths of the year in each of the three divisions of the Colony is as follows:—

	CONTRACTOR AND	Broad Charles State College	CAPACITO TO STATE OF THE STATE	DESCRIPTION OF THE PROPERTY OF
Total	4,009	2,549	6,558	100.00
Country	2,714	1,562	4,276	65.20
Suburbs	449	341	790	12.05
Sydney	846	646	1,492	22.75
	Males.	Females.	Total.	Per-centage on total Deaths.

Comparison with 1869.

Compared with 1869, the following result is obtained-

area with 1809, the following i	1869.	1870.	Increase.	Decrease.
Sydney	1,511	1,492		19
Suburbs	931	790	•••••	141
Country		4,276	27	
	6,691	6,558		
Ess	S.A.A.F. St. St. St. St. St. St. St. St. St. St	BEAR OF CHARLES FOR		

The ratio of deaths to every 1,000 of the population at the middle of each of the last six years is as Ratio of deaths. follows—

 1865.
 1866.
 1867.
 1868.
 1869.
 1870.

 16·40
 17·53
 19·66
 15·83
 14·06
 13·28

The five years preceding 1870 give an average of 16.69 per 1,000, or 3.41 per 1,000 in favour of the past year.

The deaths in the city, suburbs, and country districts respectively, show that in every 1,000 persons there died—

 In Sydney.
 19.34

 Suburbs
 14.81

 Country
 11.77

showing that the death rate in Sydney was 4.53 higher than the suburbs, and 7.51 higher than the country districts,—the difference between the suburbs and the country districts being 3.04 in favour of the latter.

The table G shows the number of deaths registered quarterly in the city, suburbs, and country, for the years 1861 to 1870 inclusive:—

(G.)

Table showing the number of Deaths registered in the Colony of New South Wales during each Quarter of the Years 1861 to 1870.

	Estimated Population at the middle of each Year.	31 Mar.	30 June.	30 Sept.	31 Dec.	Total.	Ratio per 1,000 living.
(1861	56,532	300	312	265	372	1,249	22.09
1862	57,151	350	340	280	412	1,382	24.18
1863	57,997	475	360	363	440	1,638	28.24
1864	60,299	436	435	384	474	1,729	28.67
1865	62,841	340	345	339	398	1,422	22.63
Sydney 1866	65,580	389	412	347	454	1,602	24.42
1867	68,587	583	797	330	441	2,151	31.36
1868	71,310	413	410	349	427	1,599	22.42
1869	74,310	371	354	377	409	1,511	20.33
(1870	77,131	386	355	337	414	1,492	19.34
TOTAL		4,043	4,120	3,371	4,241	15,775	
(1861	37,300	159	152	109	176	596	15.98
1862	39,575	202	192	155	240	789	19.93
1863	40,106	254	182	150	252	838	20.89
1864	41,698	237	197	176	211	821	19.68
11865	43,456	201	185	145	258	789	18.15
Suburbs	45,350	220	256	174	316	966	21.31
1867	47,429	292	551	243	300	1,386	29.22
1868	49,313	216	247	215	278	956	19.59
1869	51,387	2 40	226	220	245	931	18.11
(1870	53,338	200	193	187	210	790	14.81
TOTAL		2,221	2,381	1,774	2,486	8,862	
(1861	259,500	880	913	832	873	3,498	19.40
1862	269,015	1,145	1,139	954	1,115	4,353	13·48 16·18
1863	273,057	1,356	1,044	932	845	4,177	15.29
1864	283,896	1,025	1,067	921	882	3,895	13.72
11865	295,865	1,074	1,102	1,019	1,190	4,385	14.82
Country Districts 1866	308,765	1,467	1,351	993	982	4,793	15.52
1867	322,927	1,312	1,226	1,346	1,210	5,094	15.77
1868	335,749	1,335	1,273	1,027	1,035	4,670	13.90
1869	349,877	1,216	1,141	940	952	4,249	12.14
(1870	363,162	1,216	1,122	994	944	4,276	11.77
Total		12,026	11,378	9,958	10,028	43,390	
(1861	353,332	1,339	1,377	1,206	1,421	5,343	15.12
1862	365,741	1,697	1,671	1,389	1,767	6,524	17.83
1863	371,160	2,085	1,586	1,445	1,537	6,653	17.92
1864	385,893	1,698	1,699	1,481	1,567	6,445	16.70
New South Wales	402,163	1,615	1,632	1,503	1,846	6,596	16.40
1000	419,695	2,076	2,019	1,514	1,752	7,361	17.53
1867	438,943	2,187	2,574	1,919	1,951	8,631	19.66
1868	456,372	1,964	1,930	1,591	1,740	7,225	15.83
1869	475,574	1,827	1,721	1,537	1,606	6,691	14.06
[1870]	493,631	1,802	1,670	1,518	1,568	6,558	13.28
TOTAL		18,290	17,879	15,103	16,755	68,027	

"Infantile" mortality. Table H shows the proportion which infantile mortality bore to the total number of deaths during the last 10 years.

From the analysis of this table the following mean results are obtained:-

		u	dean Deaths nder 5 years, 1861 to 1870.	Mean total Deaths.	Proportion per cent.
Sydney	 		747	1,577	47.37
Suburbs	 		513	886	57.90
Country	 		1,801	4,339	41.50
			3,061	6,802	45.00
			ENAMES OF STREET	PATRICIA DE CONTROL DE	Resource strong

(H.)
INFANTILE MORTALITY.

		Total	Per-centage		Sydne	y.		Suburl	pa.	Co	untry Dist	cricts.
Year.	Total Deaths of the Year.	Deaths under 5 years.	of total Deaths under 5 years to Deaths of the year.	Total Deaths of Year.	Deaths under 5 years.	Per-centage of Deaths under 5 years to total Deaths.	Total Deaths of Year.	Deaths under 5 years.	Per-centage of Deaths under 5 years to total Deaths.	Total Deaths of Year.	Deaths under 5 years.	Per-centage of Deaths under 5 years to total Deaths
1861	5,343	2,291	42.87	1,249	536	42.91	596	353	59.22	3,498	1,402	40.08
1862	6,524	2,921	44.77	1,382	607	43.92	789	470	59.56	4,353	1,844	42:36
1863	6,653	2,942	44.22	1,638	787	48.04	838	482	57.51	4,177	1,673	40.05
1864	6,445	2,839	44.04	1,729	819	47.37	821	442	53.83	3,895	1,578	40.51
1865	6,596	2,879	43.65	1,422	612	43.04	789	447	56.65	4,385	1,820	41.73
1866	7,361	3,292	44.72	1,602	717	44.75	966	535	55·38	4,793	2,040	42.56
1867	8,631	4,574	52.99	2,151	1,262	58.67	1,386	925	66.73	5,094	2,387	46.85
1868	7,225	3,105	42.97	1,599	748	46.77	956	512	53.55	4,670	1,845	39.50
1869	6,691	2,973	44.43	1,511	712	47.12	931	553	59.39	4,249	1,708	40.19
1870	6,558	2,803	42.74	1,492	673	45.10	790	411	52.02	4,276	1,719	40.20
	68,027	30,619		15,775	7,473		8,862	5,130		43,390	18,016	
Mean of 10 years	6,802	3,061	44.74	1,577	747	46.76	886	513	57:38	4,339	1,801	41.40

Per-centage of deaths in city, wards, and suburbs. The following tables (I and J) give the per-centage of deaths in each ward of the City, and in the suburban districts, from 1864 to 1870 inclusive,—with the proportion of deaths under five years, deaths under five years to births, total deaths to births, and total deaths to population, as determined by Census of 1861:—

(I.)

				*									Pe	er-cen	tage o	of—												
Ward.]	Death De		er 5 y in eac			al	D	eaths	unde in ea	r 5 ye		Birt	hs		Tota		ths to	Birta rd.	hs in			Total:					
*	1864.	1865.	1866.	1867	1868.	1869.	1870.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1864.	1865.	1866.	1867.	1868.	1869.	. 187
1. Gipps	55•55	48.83	54.43	62.80	57.79	53.75	5 1·53	35.92	24.70	26.13	50.99	25.79	22.16	19:30	64:67	50.58	4 8·01	81.16	44.64	41.23	37.46	2.99	2:38	2:34	3.94	2.13	2.21	1.8
2. Bourke	15.63	13.48	18.23	21.71	17.84	13.62	11.41	23.87	17.20	33.68	43.65	28.69	25.78	26.62	*	J.,			***			6.58	6.19	6.78	7.68	7.17	5.84	6.2
Brisbane	50.00	49.24	52.12	69.30	55.77	55.40	50.72	33.20	26.00	35.36	55.12	34.52	26.79	24.47	66.46	52.88	67.07	59.52	61.90	48.36	48.25	2.76	2.09	2.61	3.20	2.47	2.34	2.1
Macquarie	47.74	46.99	43.30	67.24	45.26	55.26	46.96	43.09	26.70	24.74	47.85	25.74	28.00	16.48	90.24	56.85	57.05	71:17	56.88	50.66	35.10	2.46	1.83	2.14	2.57	2.10	1.68	3 1.4
6. Cook	58.85	48.29	55.8	67.77	58.29	55.15	63.72	32.49	20.38	31.32	43.50	30.52	21.61	22.49	55.16	42.20	56.60	64.16	52.37	39.19	35.30	2.65	2.12	2:38	2.92	2.40	2.34	2.6
6. Fitzroy	51.25	51.43	47.15	61.54	54.62	54.61	49.66	29.12	22.95	24.18	40.13	28.41	25.62	25.21	56.83	44.62	51.28	65.21	52.02	46.92	50.77	2.92	2.23	2.72	3.55	3.05	2.57	2.7
. Phillip	66.29	64.10	59.44	71.20	55.81	54.44	59.37	52.40	38.46	32.07	62.24	29.26	30.43	26.76	78.60	60.00	53.95	87.41	52.44	55-90	45.07	3.06	2.63	2.41	4:34	2.18	3.04	2.7
3. Denison	55.00	50.36	53.03	73.00	57.14	60.00	54.60	30.79	22.08	29.63	51.33	27.96	24.05	22.13	5 5 ·95	43.84	53.86	70.32	48.93	40.09	40.54	2.10	1.72	2.24	3.26	1.99	2.11	1 2.0

													Pe	r-cen	age o)f—												
District.	D	eaths Deat	unde ths in	er 5 y	ears t Distr	o tota	ul	D				ears to		hs		Tota		ths to		hs in						Popul	ation	
	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1864.	1865.	1866.	1867.	1868.	1869	1870.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1864.	1865.	1866.	1867.	1868.	1869.	1870.
1. Sydney	47.37	43.04	44.75	58.67	46.77	47.12	45.10	33.67	24.20	28.93	48.39	28.84	25.02	23.13	71.09	56 22	64.65	82.48	61.66	53.11	51.28	3.04	2.50	2.82	3.78	2.81	2.65	1.93
2. Balmain	51.66	55.21	52.52	69.23	52.08	62.88	52.94	13.71	24.88	22.51	35.04	20.74	19.74	18:30	26.54	45.07	42.85	51.18	39.83	31.39	34.57	1.52	2.43	2.51	3.29	2.43	2.46	2.58
3. Glebe	55.34	44.70	54.13	64.89	56.52	65.67	60.16	26.38	16.89	29.75	51.96	30.11	27.93	24.58	47.68	37.77	54.96	80.07	53.28	42.54	40.86	2.77	2.29	3.58	6.06	3.71	3.61	3.31
4. Newtown	49.42	64.00	46.06	66.11	51.16	54.02	41.77	22.63	28.23	19.90	39.21	22.33	20.43	12.17	45.78	44.12	43.20	59.31	43.65	37.82	29.15	2.05	1.77	2.10	2.85	2.03	2.05	1.86
5. Redfern and Botany.	62:39	69.56	61.86	76.00	58.51	68.16	63.15	28.35	25.57	26.54	45.24	24.49	25.49	19.41	45.43	36.76	42.91	59.52	41.86	37.40	30.73	3.49	3.08	3.52	5.60	4.03	3.65	3.11
6. Paddington	51.36	53.90	57:31	57.34	48.76	53.48	45.37	22:36	21.47	30.53	41.80	21.29	22.44	13.00	44.40	39.83	53.27	72.95	43.66	41.95	28.64	2.04	2.07	2.51	3.93	2.38	2.53	1.58
7. Concord	47.27	34.54	52.63	54.54	39.13	52.17	36.73	19.84	15:32	25.00	23.62	15:12	18.90	12.94	41.98	44.35	47.50	43.30	38.65	36.22	35.25	2.33	2.33	2.46	2.33	1.95	1.95	2.07
8. St. George	42 70	55.40	51.22	64.96	56.36	50.49	55.40	16.46	15.89	26-25	32.84	23.56	16:45	13.89	38.55	28.68	51.25	50.55	42.58	32.58	25.08	1.70	1.31	2.17	2.43	1.94	1.79	1.31
9. St. Leonards	59.57	41.07	56.89	68.42	47.91	46.94	34.78	18:30	15.08	19.52	33.33	12.63	14.11	8.51	30.72	36.60	34.32	48.72	26:37	30.06	24.46	1.36	1.62	1.67	2.20	1.39	1.42	1.33

The figures below give the mean of six years observations, and distinguishes the mortality among Mortality on Municipal divisions.

	Population— Census 1861.	Deaths under 5 years.	Over.	Total.	Per-centage of Population.
Gipps Ward	7,220	99	78	177	2.45
*Bourke Ward	5,154	56	287	343	6.65
Brisbane Ward	6,304	88	68	156	2.47
Macquarie Ward	4,513	45	43	88	1.95
Cook Ward	8,268	119	84	203	2.45
Fitzroy Ward	10,959	165	142	307	2.80
Phillip Ward	5,915	105	65	170	2.87
Denison Ward	8,061	106	72	178	2.20
	56,394	783	839	1,622	2.87

 $^{\ ^{*}}$ The Infirmary and Government Benevolent Asylum are in this ward.

The classification of diseases which have terminated fatally is contained in the following table, K, Nosological arrangement. which gives the average per-centage which each class and order of disease bore to the aggregate mean mortality of the last eight years:—

(K.)

	1863. Per- centage.	1864. Per- centage.	1865. Per- centage.	1866, Per- centage.	1867. Per- centage.	1868. Per- centage.	1869. Per- centage.	1870. Per- centage.
CLASS I.—ZYMOTIC DISEASES. Order 1.—Miasmatic Diseases—Scarlatina, Measles, Diphtheria, Dysentery, Fevers, &c	24·74 0·50 1·74	24·56 0·28 1·54	25:59 0:38 1:77	26·27 0·46 1·85	33·19 0·24 1·19	22:85 0:47 1:77	20·41 0·19 1·60	17:37 0:26
4.—Parasitic Diseases—Thrush, Worms, &c	0.58	0.62	0.44	0.54	0.45	0.40	0.30	0.34
	27.56	27.00	28.18	29.12	35.07	25.49	22:50	18.95
CLASS II.—CONSTITUTIONAL. Order 1.—Diathetic Discases—Gout, Dropsy, Cancer, &c. 2.—Tubercular Diseases—Scrofula, Phthisis, Hydrocephalus, &c.	2·48 7·91	2·62 8·55	2·73 7·69	2·93 7·85	2·66 6·91	3:34	3·62 7·53	3·52 9·01
Lines the house s. bay and . t agradualt and L	10.39	11.17	10.42	10.78	9.57	11:04	11.15	12.53
CLASS III.—LOCAL. Order 1.—Nervous—Apoplexy, Paralysis, Insanity, Convulsions, Cephalitis, Brain Disease, &c	13·02 3·58 7·74 6·15 0·83 0·15 0·19 0·21	13·27 3·82 8·49 6·97 0·81 0·20 0·20 0·43	12·46 4·35 7·54 6·81 1·21 0·24 0·30 0·61	12:30 4:24 7:32 6:43 0:76 0:31 0:27 0:46	11·88 3·62 8·49 5·93 0·71 0·27 0·16 0·28	14·16 4·04 9·23 6·08 0·97 0·43 0·15 0·26	14·09 5·16 10·12 6·83 1·27 0·46 0·15 0·33	14·44 6·08 9·64 6·67 1·18 0·24 0·12 0·21
ZXCXI	31.87	34.19	33.52	32.09	31.34	35.32	38.41	38.58

K—continued.

	1863. Per- centage.	1864. Per- centage.	1865. Per- centage.	1866. Per- centage.	1867. Per- centage.	1868. Per- centage.	1869. Per- centage.	1870. Per- centage.
CLASS IV.—DEVELOPMENTAL. Order 1.—Children—Cyanosis, Spina Bifida, Teething, &c 2.—Adults—Paramenia, Childbirth, &c 3.—Old People—Old Age, &c 4.—Nutrition—Atrophy, Debility	4·70 0·65 3·59 7·61	4·53 0·68 3·06 6·46	4:93 0:67 3:67 7:61	5·45 0·63 3·07 9·08	4·63 0·03 2·49 7·38	5·15 0·49 5·23 6·98	5·47 0·69 4·95 7·13	5·46 0·70 5·32 7·37
	16.55	14.73	16.88	18.23	14.53	17.85	18:24	18.85
CLASS V.—VIOLENCE. Order 1.—Accident or Negligence—Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c	8.97	9.75	8.26	7.25	6.98	7.71	7.67	9.68
3.—Homicide—Murder and Manslaughter.	0.27	0.23	0.27	0.29	0.13	0.26	0.21	0.13
4.—Suicide—Poison, Drowning, Hanging, &c. 5.—Execution—Hanging Unclassified	0.60 0.09 0.76	0.68 0.03	0·42 0·05	0·34 0·08	0·46 0·05	0·55 0·06 	0.57	0.53
	10.69	10.69	9.00	7.96	7.62	8.58	8.45	10.34
Unspecified	2.94	2.22	2.00	1.82	1.87	1.72	1.25	0.75

Meteorology.

The usual Meteorological Abstract for Sydney is now given, showing the average results of each month for the last ten years:—

(L.)

Period.	No. of Deaths.	Mean	Mean Height	Ra	in.	Mean amoun
	2,00 02 200020	Temperature.	Barometer.	Depth.	Days.	eight years.
January	140	71.0	29.864	3.90	13	4.5
February	121	70.8	.914	5.74	13	4.3
March	141	69.5	30.035	6.40	15	4.8
April	140	64.9	.071	7.20	13	5.1
May	147	58.4	.078	4.35	12	4.4
June	124	54.8	.073	5.91	12	4.5
July	122	52.4	.040	3.37	10	4.7
August	114	53.9	.060	3.01	10	4.5
August	101	58.7	29.994	1.60	9	4.8
October	123	63.6	.923	2.22	12	5.2
November	133	66.4	•909	2.77	10	4.7
December	167	69.3	.843	2.28	10	4.1
Mean of twelve months	131	62.8	29.983	4.06	11	4.6

From this table it will be seen that during the decennial period the number of deaths recorded in the month of December exceed those of any other month, while the month of September shows the lowest number.

Before I conclude this Report I take the opportunity of calling attention to the present state of the Marriage Law of this Colony (19 Vict. No. 30). I believe it is generally admitted that this law requires amendment in several important particulars, which would conduce to the welfare of the community at large. For my own part I should advise the repeal of the present Act, and the introduction of a new measure, so that there may be but one Act relating to the law of marriage. By this means greater simplicity would be secured, and the public, for whom the law is framed, will be enabled the better to understand its provisions. I also recommend the introduction of a new Registration Act, with a view to the repeal of the Act now in force (19 Vict. No. 34).

I shall be prepared, when called on, to suggest the alterations which I think it is desirable should be made in both the before-mentioned Acts.

I have the honor to be,
Sir,
Your most obedient Servant,
E. G. WARD,
Registrar General.

INDEX TO TABLES.

								PAGE.
rths—								
Quarterly Abstract (1870)								4
" " (1861 to 1870)								7
Children out of Wedlock								8
Triplets and Twins								8
In the Colony				,				14
In each District								14
In each Ward of the City, in proport		Deaths	, &c.					10
In each Suburban District								11
At Sea, registered in the Colony								33
Deaths—							+	
Quarterly Abstract (1870)								4
" (1861 to 1870)								9
In the Colony								14
In each District								14
In each Ward of the City, in proport	ion to	Births,	&c.					10
In each Suburban District								11
Infants, 1861 to 1870								10
Males, at Ages, New South Wales				6				17
" City of Sydney								20
" Suburban Districts				A TO				23
" Country Districts				MODRETRY				26
Females " New South Wales		/	EPA	RITA	1E.N	7		18
" City of Sydney		f. C) E.			200	1	21
" Suburban Districts		11:4/					j	24
" Country Districts	•••	II.					· co.	27
Both Sexes,, New South Wales		110				/	C.//.	19
" City of Sydney		1.0	DIT			C.Y. A	//	22
" Suburban Districts			V.E	RNM	E'N /	- indiana		25
" Country Districts					* * *			28
From each cause, in the City of Sydn			•••					30
Monthly Mortality								29
At Sea, registered in the Colony	(• •	• • •	•••	•••				33
Mortality, Temperature, &c	1007	1000 1		11070				12
Diseases classified (1864, 1865, 1866,	1867,	1868, 1	869, ar	nd 1870	, compa	ared)		11
Marriages—								
Quarterly Abstract (1870) (1861 to 1870)		•••		•••	•••	•••		4
		•••	•••	•••	•••			6
- 1 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		•••		•••	•••	•••		14
T (10 = 0)	•••	•••	•••	•••		•••		14
(1001 1000)		•••	•••	•••	•••	•••		16
		•••	•••	•••	•••	•••		5
egistration Districts, and District Regis						••••		33
emperature, Height of Barometer, Rain	, &c. ((1861 to	1870)					12

APPENDIX.

A.

Table showing the Number of Marriages, Births, and Deaths, registered in the Colony of New South Wales, during the Year ended 31st December, 1870.

			Births.			Deaths.	
	Marriages.	Males.	Females.	Total.	Males.	Females.	Total.
Sydney	1,235 243	1,505 1,310	1,404	2,909 2,546	846	646 341	1,492 790
Metropolitan	1,478 2,370	2,815 7,194	2,640 6,999	5,455 14,193	1,295 2,714	987 1,562	2,282 4,276
	3,848	10,009	9,639	19,648	4,009	2,549	6,558

B.

Table showing the Marriages, Births, and Deaths, registered in each District of the Colony of New South Wales, during the Year ended 31st December, 1870.

				Tota	el.		Birt	hs.				irths
	Districts.	Popula- tion— Census 1861.	Mar- riages.	Births.	Deaths.		iding timate ths.	Illegiti Birt		Dear	ths.	Excess of Births over Deaths.
						М.	F.	М.	F.	М.	F.	Ex
									1 100000			
	I.—North-Eastern.											
1.	Richmond River		(17	163	43	90	73	1	1	28	15	120
	Tweed River	1,835	3	12	4	- 1	11			3	1	8
2.	Grafton	3,306	52	415	77	198	217	4	4	51	26	338
3.	Macleay River	1,963	22	253	51	118	135	3	1	25	26	202
4.	Port Macquarie.	1,350	17	81	30	41	40			17	13	51
5.	Manning River	3,384	27	200	43	103	97	1	2	28	15	157
6.	Port Stephens	1,535	14	105	25	50	55		1	15	10	80
7.	Dungog	1,757	14	81	7	44	37	1		5	2	74
8.	Clarence Town	1,031		35	6	18	17	1	1	5	1	29
9.	Paterson	2,440	13	96	17	55	41	1	3	9	8	79
10.	Raymond Terrace	3,535	8	112	32	51	61	1	3	18	14	80
11.	Maitland	14,573	128	553	190	274	279	14	14	111	79	363
12.	Morpeth	3,874	25	152	50	84	68	4	2	33	17	102
13.	Patrick's Plains	5,584	69	283	65	144	139	7	6	40	25	218
14.	Muswellbrook	1,595	27	177	57	87	90	1	2	26	31	120
15.	Scone	1,528	24	149	31	75	74	2	2	18	13	118
16.	Murrurundi	2,088	28	158	59	79	79	3	3	36	23	99
	Total	51,378	488	3,025	787	1,512	1,513	44	45	468	319	2,238

			Tota	ıl.		Bir	ths.				rths
Districts.	Popula- tion— Census 1861.	Mar- riages.	Births.	Deaths.	Illegi	uding timate ths.		timate	Dea	aths.	Exčess of Births over Deaths.
					M.	F.	M.	F.	М.	F.	Exc
TT DT.											1
II.—NORTH-MIDLAND.					10	10			10		-
1. Tenterfield. 2. Wellington	1,365	16 29	95 86	16	49	46	2 2	2	10 9	6 5	79 72
3. Inverell	1,681	17	100	23	54	46	3	2	16	7	77
4. Armidale	6,630	79	398	113	193	205	2	4	79	34	285
TOTAL	9,676	141	679	166	334	345	9	8	114	52	513
III.—North-Western.							41				
1. Tamworth	4,852	52	256	70	126	130	3	6	36	34	186
2. Nundle	2,148	3 19	61	9 43	34 55	27 54	2 4	$\frac{2}{1}$	33	3	52 66
4. Cassilis	1,060	16	79	7	46	33	2	1	5	2	72
5. Dubbo)	2,959	31	153	48	78	75	2		39	9	105
Coonabarabran		7 9	87 75	13	48	39	2 2	2	27	17	43
Forbes	1,862	23	141	35	65	76	5	4	21	14	106
7. Walgett	862	2	23	15	12	11			10	5	8
8. Wee Waa		11	61	26	32	29	1	2	20	6	35
TOTAL		173	1,045	310	537	508	23	19	207	103	735
IV.—METROPOLITAN.											
1. City of Sydney	56,840	1,235	2,909	1,492	1,505	1,404	90	95	846	646	1,417
2. Balmain	3,947	35	295	102	146	149	1	6	61	41	193
3. Glebe	3,712	22	301	123 79	163 145	138	10	4 5	70 41	53 38	178
5. Redfern and Botany	4,236 6,701	20 32	271 680	209	357	323	19	10	117	92	471
6. Paddington	6,794	55	377	108	185	192	3	3	60	48	269
7. Concord 8. St. George	2,356	11 50	139 295	49 74	69 155	70 140	6 9	2 5	29 46	20 28	90 221
9. St. Leonards	5,647 3,453	18	188	46	90	98		3	25	21	142
TOTAL	93,686	1,478	5,455	2,282	2,815	2,640	142	133	1,295	987	3,173
V.—East-midland.											
1. Newcastle	7,922	149	893	267	480	413	6	9	161	106	626
2. Wollombi	1 -,	14	75		43	32	3	4	14	4	57
3. Macdonald River 4. Brisbane Water	786 2,346	3 11	22 96	3 12	12 47	10 49	4	2	8	1 4	19 84
5. Windsor	5,593	38	172	74	82	90	2	3	39	35	98
6. Richmond	3,344	17	137	24	65	72	7	6	11	13	113
7. Penrith	5,984 9,980	23 50	220 369	63 211	124	96	7	6 7	34 149	29 62	157
9. Ryde	2,103	12	108	64	53	55	1	1	46	18	44
10. Liverpool	3,673	11 10	95 68	150	43	52 33	2 2	1	138	12 12	50
11. Campbelltown 12. Camden	2,609 5,230	19	159	39	82	77	2	2	25	14	120
13. Picton.	3,063	6	75	21	33	42			12	9	54
TOTAL	54,521	363	2,489	964	1,293	1,196	43	41	645	319	1,580
VI.—WEST-MIDLAND.											
1. Carcoar	4,995	48	272	95	145	127	8	5	51	44	177
Cowra		1	10	3	5	5	1 5		3	94	7
2. Hartley 3. Bathurst	2,761	38	252 643	70 238	107 323	145 320	5 18	4	36 145	34 93	182
4. Sofala	4,460	18	99	28	62	37	1	4	16	12	71
5. Orange	2,892	61	320	83	154	166	2 3	4	44	39	237
6. Wellington		27	120 83	22	65 51	55 32	2	2	22 17	10 5	88
8. Mudgee	6,578	79	381	114	210	171	13	11	79	35	267
9. Rylstone	1,471	7	78	18	44	34			11	7	60
TOTAL	40,563	428	2,258	703	1,166	1,092	53	42	424	279	1,555
VII.—South-eastern.											
1. Wollongong	6,049	39 27	206	61 45	110 118	96	2		32	29	145
2. Kiama	5,486 3,237	23	235 185	45	84	117	3	2	16 22	29 24	190
4. Shoalhaven.	3,321	20	218	61	109	109	3	4	35	26	157
5. Ulladulla	975	6	73	18 29	36 58	37			14	4	55
6. Broulee	1,983 2,324	10 24	137 188	30	58 95	79 9 3	2	3	20 18	9 12	108
TOTAL	23,375	149	1,242	290	610	632	11	14	157	133	952

B—continued.

			Tota	al.		Bir	ths.				rths
Districts.	Popula- tion— Census 1861.	Mar- riages.	Births.	Deaths.	Illegi	iding tima t e ths.		timate	De	aths,	Excess of Births over Deaths.
				1	M.	F.	М.	F.	M.	F.	Exc
VIII.—South-midland.											
1 D 11 1	8,199	74	422	107	210	212	7	11	67	40	315
1. Braidwood	3,834	29	223	43	124	99	2	2	30	13	180
2. Cooma 3. Bombala	2,054	30	117	25	64	53	1	1	16	9	92
4. Goulburn	9,824	96	531	168	252	279	15	14	101	67	363
5. Albury	3,771	61	338	117	163	175	3	2	81	36	221
6. Gundagai	2,386	21	172	45	94	78	2	5	30	15	127
7. Tumut	3,410	20	149	33	80	69	4	2	22	11	116
8. Yass	4,425	54	273	68	138	135	5	5	45	23	205
9. Queanbevan	3,612	34	186	49	96	90	4		27	22	137
10. Binalong		26	130	52	69	61	8	2	30	22	78
Young	13,450	33	196	67	97	99	3	4	48	19	129
Grenfell		37	182	49	88	94	4	6	29	20	133
TOTAL	54,965	515	2,919	823	1,475	1,444	58	54	526	297	2,096
IX.—South-western.											
1. Deniliquin	1,674	15	65	26	33	32			19	7	39
2. Moama	256	8	32	14	15	17			10	4	18
3. Moulamein	463		8	3	5	3			3		5
4. Balranald		2	17	10	6	11			7	3	7
Bourke		15	44	44	25	19	1	2	38	6	
Hay	2,003	17	86	36	45	41	2	1	31	5	50
Wentworth		11	47	19	22	25		1	14	5	28
Menindie		4	20	15	6	14			10	5	5
5. Wagga Wagga	2,647	41	217	66	110	107	* 6	3	41	25	151
TOTAL	7,043	113	536	233	267	269	9	7	173	60	303
Grand Totals for New South Wales	348,950	3,848	19,648	6,558	10,009	9,639	392	363	4,009	2,549	13,145

The deaths in the District of Liverpool show an excess of 55 over the births, which will reduce the excess of births over deaths to 13,090.

C.
MARRIAGES—1870.

		Syd	ney.		Sub	urban	Distr	icts.	Co	untry	Distri	cts.		To	tal.	
Denomination.	Mar-		Mark	is.	Mar-		Mark	īs.	Mar-		Mark		Mar-		Mark	is.
	riages.	М.	F.	Total.	riages.	М.	F.	Total.	riages.	М.	F.	Total.	riages.	M.	F.	Total.
Church of England Roman Catholic Presbyterian Wesleyan Primitive Methodist Congregationalist Baptist Unitarian Hebrew Free Church of England German Evangelical Christians Registrar's Offices	249 236 33 9 27 9 2 3 451	10 40 9 2 51 	10 85 29 2 126 	20 125 38 4 177	85 60 22 23 13 28 8 1	8 11 1 1 1 	9 12 3 1 	17 23 4 1 2 1 2	860 599 290 307 48 27 20 1 7	161 135 35 43 10 4 1 43	204 164 54 56 9 6 2 	365 299 89 99 19 10 3	1,159 908 548 363 70 82 37 3 4 451 7 1 215	179 186 45 43 11 7 2 51 44	223 261 86 56 9 9 2 126 63	402 447 131 99 20 16 4 177
TOTAL	1,235	112	252	364	243	24	26	50	2,370	432	557	989	3,848	568	835	1,40

э	20	bi	sd.
,			
			3

1	All the second second	CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	ş	Total of all ages	Per-centage on total Male Deaths of the Year.
1. Diathetic Diseases—(Gont, Dropsy, Cancer, &c)		 Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) Enthetic Diseases—(Syphilis, Gonorrhæa, &c.) Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) Parasitic Diseases—(Thrush, Worms, &c.) 	1 10 9	1 2	1	2	1	1 14 12	1 				2	2 2 	8	3	3	6	1 1 	3 	3	2 1 	i i 	4	11 52 12	14·12 0·27 1·30 0·30
HIILocal Diseases High responsibility		 Di athetic Diseases—(Gout, Dropsy, Cancer, &c.) Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) 	50	30	6	8	1	95		6	7	18	37	34	26	22	30	19	17	10	7	1		3	339	3·27 8·46
IV.—Developmental Diseases IV.—Developmen	Analysis and Analy	III.—Local Diseases. 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis) 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) 6. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) 7. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.)	239 5 78 68 5 1	40 1 28 18 	13 10 1 1 	7 7 2 	1 2 4 1 	300 8 127 90 6 1	6 5 9 7 2	6 2 3 3 1 1	6 2 4 7 1 2	11 6 6 6 3 	9 15 12 5 2 	18 28 12 14 7 	26 20 15 22 3 	24 30 20 13 14 	\$7 24 23 15 2	33 27 30 23 1 1	24 23 20 24 7 	30 30 33 16 4 	18 21 23 21 6 1	17 16 26 6 5 1 2	20 11 16 5 2	4 5 6 3 1	589 273 385 280 65 7 12	14·69 6·81 9·60 6·98 1·62 0·17 0·30
1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) 24 19 16 9 12 80 50 21 17 39 52 41 41 36 26 25 20 21 9 7 4 10 499 12·46 2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds)		1. Diseases of Children—(Cyanosis, Teething, &c.) 2. Diseases of Old People—(Old Age, &c.) 3. Diseases of Nutrition—(Atrophy, Debility) Total	232	30	4	"i		267	ï					•••		1			2						244 271	5·09 6·10 6·75
		1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) 2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) 3. Homicide—(Murder and Manslaughter) 4. Suicide—(Poison, Drowning, Hanging, &c.) 5. Execution—(Hanging)	24 1 					 					3	2 4	3	6	3	6	3			1		1 	29 	12·45 0·10 0·72
Totals from all Causes		Unspecified							2	1		2		4	2	6	1	4	3	3			1	7	36	

D 2. Summary of Deaths of Females registered in New South Wales, from 1st January to 31st December, 1870.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	?	Total of all Ages.	Per-centage on total Female Deaths of the Year.
I.—Zymotic Diseases.																								
1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) 2. Enthetic Diseases—(Syphilis, Gonorrhæa, &c.) 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) 4. Parasitic Diseases—(Thrush, Worms, &c.)	. 2	97 1 	33 1	27 1	14	342 3 5 9	47 1 1	24	21	23	34	17	11 1 1 	14 1 	9 1 	5 2 	8 1 	2 1 	5	6	4	1 	573 6 12 10	22:48 0:24 0:48 0:39
Total	. 185	98	34	28	14	359	49	24	21	23	35	17	13	15	10	7	9	3	5	6	4	1	601	
II.—Constitutional Diseases.						-		-			-												-	
1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.)	. 1	3 21	$\frac{2}{12}$	1 5	1	7 84	1 4	3	1 20	2 20	2 24	8 25	$\begin{array}{c} 12 \\ 24 \end{array}$	4 20	11 13	16 4	13 4	8 6	7	6	2		100 252	3·92 9·89
Total	. 46	24	14	6	1	91	5	3	21	22	26	33	36	24	24	20	17	14	7	7	2		352	
III.—Local Diseases.	-																							
1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis) 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.). 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.). 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.) 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) 8. Diseases of the Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.)	. 2 . 68 . 30 . 1	42 23 9 2 	15 9 2 1 	12 7 1 	4 2 1 	240 2 109 42 5 	7 3 14 5 	4 10 6 1 	5 5 10 2 1 	5 6 5 7 1 	4 6 1 7 4 	5 8 9 9 2 	11 9 11 7 2	12 7 12 11 1 3 1	6 13 11 13 1 1 	11 11 11 10 4	13 10 9 14 1 1	15 11 13 13 1	5 11 12 6 	12 7 8 8 	3 7 6 1 	 1 	358 126 247 157 12 16 1	14·04 4·94 9·65 6·16 0·48 0·63 0·04 0·08
Total	. 268	76	27	20	7	399	29	21	23	24	22	33	40	47	45	47	49	53	34	35	17	1	919	
IV.—Developmental Diseases.																								
1. Diseases of Children—(Cyanosis, Teething, &c.) 2. Diseases of Adults—(Paramenia, Childbirth, &c.) 3. Diseases of Old People—(Old Age, &c.) 4. Diseases of Nutrition—(Atrophy, Debility)			4		 1		 1		2	6	10	7 1	10	iii ii				9 3	13	29	 54 2		154 46 105 212	6·04 1·80 4·12 8·32
Total	296	54	4	3	1	358	1		2	6	10	8	10	12				12	13	29	56		517	
V.—Violence.																			-					
1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds &c.) 2. Homicide—(Murder and Manslaughter) 3. Suicide—(Poison, Drowning, Hanging, &c.) 4. Execution—(Hanging)	14	6	17	5	5	2	21	14	7	6 1 1	3 1 	5 1 1	5 2	6	4 2	3	7	2	2	3	1		136 5 6	5·34 0·20 0·24
Total	16	6	17	5	5	49	21	14	7	8	4	7	7	6	6	3	7	2	2	3	1		147	
Unspecified						-		1	1	3	1		2	3		1	1						13	0.52
Totals from all Causes		-	96		28	1256	-	63	75	86	98	98	108	107		78	83	84	61	80	80		2549	100.00

ı		
	1	
)	
	1	
	1	
	1	
	1	
	1	
	1	
	1	
	1	
	1	C
	1	1 -
		00
	1	9
	1	
	1	
	1	
	1	
	ŧ.	
	1	
	1	
	1	
	ł.	
	1	
	1	
	1	
	1	

Summary of Deaths of Both Sexes regi	stere	eu III	TAE	LW D	001	п и	ALL	10, 11			WII GO	J												
CAUSES OF DEATH.	Under I year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	ŝ	Total of all ages	Per-centage on total Deaths of the Year.
I.—Zymotic Diseases.																								
 Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) Enthetic Diseases—(Syphilis, Gonorrhea, &c.) Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) Parasitic Diseases—(Thrush, Worms, &c.) 	3 15	191 1 1 2	69 2	47 2 1	34	679 4 19 21	2	41	42	40	55 3 	29 2 2 	23 4 9 	29 2 3 	19	18 8 	20 1 2 	6 1 3	22 1 3 	17 2 1	13	4	1139 17 64 22	17.37 0.26 0.98 0.34
Total	372	195	71	50	35	723	85	41	42	40	58	33	36	34	23	26	23	10	26	20	14	8	1242	
II.—Constitutional Diseases.																								
 Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.) 			4 18	1 13	2	10 179	3 11	3 9	2 27	7 38	5 61	10 59	23 50	14 42	22 43	31 23	28 21	26 16	17 7	14 2	14	2 3	231 591	3·52 9·01
Total	. 96	55	22	14	2	189	14	12	29	45	66	69	73	56	65	54	49	42	24	16	14	5	822	
III.—Local Diseases.																								
 Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis) Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) Diseases of the Urinary Organs—(Nephritis, Isohuria, Diabetes, &c.) Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.) Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.) 	7 146 98 6	51 27 2	28 19 3 2 	19 14 2 1 	5 2 6 2 	10 236	23 12 2 	12 9 4	11 7 14 9 2 2	16 12 11 13 4 	13 21 13 12 2 4 	23 36 21 23 9 	37 29 26 29 3 2	36 37 32 24 15 3 1	43 37 34 28 3 1	44 38 41 33 1 4 1	37 33 29 38 8 1	45 41 46 29 4 1	23 32 35 27 6 1	29 23 34 14 5 2	23 18 22 6 2	4 5 6 4 1 	947 399 632 437 77 16 8 14	14:44 6:08 9:64 6:67 1:18 0:24 0:12 0:21
Total	. 666	163	52	36	15	932	58	37	45	57	65	112	127	149	147	163	147	167	125	108	71	20	2530	
IV.—Developmental Diseases.																								
 Diseases of Children—(Cyanosis, Teething, &c.) Diseases of Adults—(Paramenia, Childbirth, &c.) Diseases of Old People—(Old age, &c.) Diseases of Nutrition—(Atrophy, Debility) 			1 8	4		358 471				6	10	7		11 2		1	1	25 3		108	 166 2		358 46 349 483	5·46 0·70 5·32 7·37
Total	. 692	123	9	4	1	829	2		2	6	10	8	10	13		1	3	28	48	108	168		1236	
V.—Violence.		-	-																					
1. Accident or Negligence — (Fractures, Contusions, Burns, Drowning, Suffocation Wounds, &c.)	. 38	25			17		71				55	46	46	42	30	28	27	23	11	10	5	10	635	9.68
 Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) Homicide—(Murder and Manslaughter) Suicide—(Poison, Drowning, Hanging, &c.) Execution—(Hanging) 		3				3				1 1	1 3	3 5	5	6	5	6	3			··· 1	***	1	9 35	0·13 0·53
Total.	-	25		14		-	71		24	-	59	54	51	48	35	34	30	23	11	11	5	11	679	
Unspecified	-	-	-		-		2	-	1	5	1	4	4	9	1	5	4	3	-	-	1	7	49	0.75
Totals from all Causes		-		118	70	2809	-	_	-		250						-		224	969				
Totals from all Causes	. 1007	201	101	110	10	2008	252	127	140	200	209	200	301	309	2/1	200	200	2/3	234	203	213	91	6558	100.00

E 1.
Summary of Deaths of Males registered in Sydney, from 1st January to 31st December, 1870.

CAUSES OF DEATH.	Under 1 year,	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	ŝ	Total of all ages.	Per-centage on total Male Deaths— Sydney.
I.—Zymotic Diseases. 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.). 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) 4. Parasitic Diseases—(Thrush, Worms, &c.)	7	16 1	5	2	5 	66 1 8 4	3	2	6	5	4 1 	3 1	4	6 2	3 1 	5 3	2	1 1	1	2 1 	1		114 2 18 4	13·47 0·24 2·13 0·47
Total	50	17	5	2	5	79	3	2	6	5	5	4	5	8	4	8	2	2	1	3	1		138	
II.—Constitutional Diseases 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.)	11	5	1 4	3		1 23	2	2 4	2	1 11	 10	2 14	5 10	2 5	3 4	5 4	3 4	2 1	1 1	1	2		30 95	3·55 11·23
Total	. 11	5	5	3		24	2	6	2	12	10	16	15	7	7	9	7	3	2	1	2		125	
III.—Local Diseases.								•																
1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis)	25 23	12 6 8 	7 4	3 2	 1 	68 37 32 1	1 1 1 	1 2 1 1 1	2 1 3	2 2 2 1 1 	1 10 5 	5 12 3 4 4 	5 6 4 6 2 	2 7 8 5 5 	6 4 5 4 	7 1 7 4 	6 4 1 3 2 	9 7 9 3 	2 1 3 7 2 	2 5 3 2 	1 4 2 1		119 67 94 78 16 1 5	14·07 7·92 11·11 8·63 1·89 0·12 0·59
Total	. 95	26	11	5	1	138	3	6	6	8	16	28	23	28	19	19	16	29	15	13	8		375	
IV.—Developmental Diseases. 1. Diseases of Children—(Cyanosis, Teething, &c.) 2. Diseases of Old People—(Old Age, &c.) 3. Diseases of Nutrition—(Atrophy, Debility)	59	11 5	1 1	 1		55 66										1	1 1		2	8	8		55 21 67	6·50 2·48 7·92
Total	. 102	16	2	1		121			•••								2	1	2	8	8		143	
V.—Violence 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds &c.) 2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) 3. Homicide—(Murder and Manslaughter) 4. Suicide—(Poison, Drowning, Hanging, &c.) 5. Execution—(Hanging)	9	1	1			11	8	1		6	6	 1	4	1 1	3 1	1 2 	3 1	2	2		2		50 6	5·91 0·71
Total	9	1	1			11	8	1		6	6	1	4	2	4	3	4	2	2		2		56	
Unspecified		•			۸.,					1		3		1		1	2	1					9	1.06
Totals from all Causes	267	65	24	11	6	373	16	15	14	32	37	52	47	46	34	41	33	38	22	25	21		846	100.00

Mismatic Disease Sentiation Diseases A	CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	?	=	Per-centage on total Female Deaths— Sydney.
III	1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) 2. Enthetic Diseases—(Syphilis, Gonorrhea, &c.) 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) 4. Parasitic Diseases—(Thrush, Worms, &c.)	2 3	1				$\frac{1}{2}$	1.,				1		1	1		2	1			1			3 6	0·46 0·93
1. Distaletic Diseases—(Gord, Dropsy, Cancer, &c.)		52	21	4	3	2	82	4		4	9	9	4	2	4	4	3	4	2	1	1	2	*****	135	
Till	1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.)	16	6	1 5	3		1 30	1		7	1 11	1 6	5 11			2					2 1				
1. Diseases of the Nervous Stratum—(Apoelexy, Paralysis, Insanity, Capitalitis)	Total	16	6	6	3		31	1		7	12	7	16	13	8	3	6	1	4		3	1		113	
Wounds, &c.)	III.—Local Diseases. 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis)	31 1 20 7 	14 6 3 23	6 1	7	3	1 30 10 99	9	3 1 4 	3 2 1 1 7 7	10 3 10	3	10	1 2 1 1 6	1 2 5 1 15	1 5 4 12	3 5 1 20	5 3 1 12 	3 3 2 13	4 7 2 16	3 2 12	1 7 		39 74 45 2 3 1 255 28 4 31 52	6·04 11·45 6·96 0·32 0·46 0·15 4·33 0·62 4·80
Totals from all Courses	Wounds, &c.) 2. Homicide—(Murder and Manslaughter) 3. Suicide—(Poison, Drowning, Hanging, &c.) 4. Execution—(Hanging) Total.	6 1 7	1				1				1		1	1					**1					2 2 19	0·32 0·32
			-				-	14		-	$\frac{2}{37}$	19	-					-	22	22	25	29		9 646	

E 3.

Summary of Deaths of Both Sexes registered in Sydney, from 1st January to 31st December, 1870.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	?	Total of all ages	Per-centage on total Deaths— Sydney.
I.—Zymotic Diseases. 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) 4. Parasitic Diseases—(Thrush, Worms, &c.) Total.	9 7	36 1 1 	9	5 5		142 2 10 7 	7 7	2	10	14	12 2 	7 1 8	5 1 1 	9 1 2 	7 1 8	6 5 11	5 1 6	3 1 	2 2	3 1 4	3		237 5 24 7 273	0·33 1·61 0·47
II.—Constitutional Diseases. 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.)	. 27	11	2 9			2 53	3	2 4	9	2 22	1 16	7 25	10 18	2 13	5 5	9 6	4 4	5 2	1 1	3 1	3		56 182	
Total III.—Local Diseases.	27	11	11	. 6		55	3	6	9	24	17	32	28	15	10	15	8	7	2	4	3	•••	238	
1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis). 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease). 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.). 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.). 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.). 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.). 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.). 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.).	. 1 . 45 . 30 	11	13 5	8 4	1 1 	126 1 67 42 1	1 3 4 4 	1 5 2 1 1 1	2 4 5 1 1 	4 5 4 1 	2 11 5 1 	7 14 6 6 5 	6 7 6 7 2 1 	8 8 10 10 5 1 	8 5 10 8 	14 5 10 9 1	6 7 6 6 2 1	14 10 12 5 1	5 5 10 9 2 	4 10 6 4 1	2 6 5 1 		210 106 168 118 18 3 1 6	11·26 7·92 1·21 0·20 0·07 0·40
IV.—Developmental Diseases.	. 154	49	18	12	4	237	12	10	13	18	19	38	29	43	31	39	28	42	31	25	15		630	
1. Diseases of Children—(Cyanosis, Teething, &c.) 2. Diseases of Adults—(Paramenia, Childbirth, &c.) 3. Diseases of Old People—(Old Age, &c.) 4. Diseases of Nutrition—(Atrophy, Debility) Total.	97	15 10 25	1 3 4	 2 2		83 113 196			1	3		 1 1				1 1	 1 1 	 2 2 2	7	17 	 24 2 26		83 4 52 119 258	7.97
V.—Violence. 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) 2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) 3. Homicide—(Murder and Manslaughter) 4. Suicide—(Poison, Drowning, Hanging, &c.) 5. Execution—(Hanging)	15	2	3	1	2	23	8	1		6	6	2	6	1	3 1	1 2	3 1	2	2		3		65 2 8	4·36 0·13 0·54
Total		2	3	1	2	24	8	1		7	6	2	7	2	4	3	4	2	2		3		75	
Unspecified	-	 125	45			673		19		3 -69		3 84	2	4	53	71	3	1	44				18	1.21

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	?	Total of all ages	Per-centage on total Male Deaths— Suburban Districts.
I.—Zymotic Diseases.																								
1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) 2. Enthetic Diseases—(Syphilis, Gonorrhœa, &c.) 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) 4. Parasitic Diseases—(Thrush, Worms, &c.)	1		1 	1	2	39 1 	3	3	7	2	4	1 1	4		3	1			2 1 	1	1		71 3	15·81 0·6 7
Total	-	11	1	1	2	40	3	3	7	2	4	2	4		3	1			3	1	1		74	
II.—Constitutional Diseases. 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.)		1 7				1 20	3					3	4	2	1 4	 1	4	2	···· 1		2	 1	6 51	1·34 11·36
Total	-					21	3				7	3	4	2	5	1	4	3	1		2	1	57	
III.—Local Diseases.	-				-					-														
1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis) 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) 6. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) 7. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.)	13 10 1	5 4 	2 1 	1 		41 19 15 1 	3 3 1	1	1 1 	 2 	3 2 	1 2 1 1 	1 1 5 	3 4 2 3	2 1 3 1 1 	1 2 1 	5 3 5 1 	3	3 3 2	3 2 3 1 	2 1 		66 26 40 38 8 	14.70 5.79 8.90 8.47 1.78
Total	54	18	3	1		76	7	2	2	2	5	5	8	15	8	4	15	6	11	9	3		178	
IV.—Developmental Diseases. 1. Diseases of Children—(Cyanosis, Teething, &c.)	22 52	8				30 63								 1				2	2	8	10		30 22 64	6.68 4.90 14.26
Total						93								1				2	2	8	10		116	
V.—Violence.																								
 Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation, Wounds, &c.) Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) Homicide—(Murder and Manslaughter) Suicide—(Poison, Drowning, Hanging, &c.) Execution—(Hanging) 	1		2	1		4 1 	3	1	1 	1 		1 1		1 1 	1 1 	2 1	3 1 						18 1 5 	4·01 0·22 1·11
Total	-	1	2	1		5	3	1	1	1		2		2	2	3	4						24	
Unspecified																								
Totals from all Causes	-	57	6	3	2	235	16	6	10	5	16	12	16	20	18	9	23	11	17	18	16	1	449	100.00

G 1.
Summary of Deaths of Males registered in the Country Districts, from 1st January to 31st December, 1870.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	ş	Total of all ages.	Per-centage on total Male Deaths— Country Districts.
I.—Zymotic Diseases.						6																		
1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) 2. Enthetic Diseases—(Syphilis, Gonorrhæa, &c.) 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) 4. Parasitic Diseases—(Thrush, Worms, &c.)			30	17 2 	13 1		29 1		8	10	13	8 2 	4 3 7	9 1 1 	4 2 	7 3 	10 1 1 	3 2	14 1 2 	8 1 1 	7 1	3 4	381 9 31 8	14·04 0·33 1·14 0·30
Total	112	69	31	19	14	245	30	12	8	10	14	10	14	11	6	10	12	5	17	10	8	7	429	
II.—Constitutional Diseases.																								
1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.)	26	 18	1 2	 5	1	1 52	2 2	$\frac{1}{2}$	1 5	4 7	3 20	17	6 12	8 15	7 22	10 14	12 9	14 8	9 5	7	8	2 2	95 193	3·50 7·11
Total	26	18	3	5	1	53	4	3	6	11	23	17	18	23	29	24	21	22	14	8	8	4	288	
III.—Local Diseases.																								
1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis)	5 40 35	19 1 17 6 	4 5 1 1 	4 5 1 	1 2 4 	191 8 71 43 5 1	3 1 8 5 2 	4 1 2 1 	4 1 6 1 2	9 4 4 3 2 1	8 2 7 3 2 	12 14 9 9 2	20 13 10 11 1 	19 20 8 6 6	29 19 15 10 1 	25 24 23 18 1 1	13 16 14 20 4 	21 20 24 10 4	13 17 17 12 4 1	12 9 20 4 1 1	17 7 14 4 	4 5 6 3 1 	404 180 251 169 41 6 7	14·88 6·63 9·25 6·23 1·51 0·22 0·26
Total	248	43	11	10	7	319	19	8	14	23	22	46	56	59	75	93	67	79	65	51	43	19	1058	
IV.—Developmental Diseases.	-			-																				
 Diseases of Children—(Cyanosis, Teething, &c.) Diseases of Old People—(Old Age, &c.) Diseases of Nutrition—(Atrophy, Debility) 	99 121	20 14	3			119 138											 1	13 	31	63	94		119 201 140	4·39 7·41 5·16
Total	220	34	3			257	1										1	13	31	63	94		460	
V.—Violence. 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation,Wounds, &c.)	15	17	13	8	12	65	39	19	16	32	46	40	37	34	22	22	14	19	7	7	2	10	431	15.88
 Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) Homicide—(Murder and Manslaughter) Suicide—(Poison, Drowning, Hanging, &c.) Execution—(Hanging) 											3	2 2	3	4	 1	3	 1			 1		1 	3 18	0·11 0·66
Total	15	17	13	8	12	65	39	19	16	32	49	44	40	38		25	15		7	8		11	452	
							,																	
							2	1		1		1	2	5	1	3	1	2			1	7	27	0.99
Totals from all Causes	621	181	61	42	34	939	95	43	44	77	108	118	130	136	134	155	117	140	134	140	156	48	2714	100.00

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	?	l a	Per-centage on total Female Deaths— Country Districts.
I.—Zymotic Diseases. 1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.). 2. Enthetic Diseases—(Syphilis, Gonorrhea, &c.). 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.). 4. Parasitic Diseases—(Thrush, Worms, &c.)	2 4		 1	1		222 2 6	 1 1				20	9	8 1	9	 1 	3	5	1 	3	3	2		376 3 3 7	24:07 0:19 0:19 0:44
Total	103	66	29	22	10	230	40	22	16	12	20	9	9	9	5	3	5	1	3	3	2		389	
II.—Constitutional Diseases. 1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.)		2 14	1 7	$\frac{1}{2}$	 1	5 43		3	1 8	1 8	 14	3 10	7 8	4 12	7 7	11 2	9	5 5	7	3	1		65 126	4·16 8·07
Total	20	16	8	3	1	48	4	3	9	9	14	13	15	16	14	13	12	10	7	3	1		191	
III.—Local Diseases 1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis)	1 38 16 1 	15 4 2	7 2 1		2 1 1 	148 1 65 23 5 	10 1	3 4 5 1 	5 1 6 1 	3 1 3 3 1 	3 5 1 6 4	2 4 6 6 1 	8 6 8 4 1	2 5 8 5 1 2 1	2 10 6 6 1 	4 7 7 4 3	11 6 2 9 1 1 	9 5 7 10 1	2 6 4 3 	9 2 3 5 	1 4 1 	 1 	216 67 142 88 9 13 1	13:82 4:29 9:15 5:63 0:57 0:83 0:06 0:06
Total	172	41	15	11	4	243	15	13	13	11	19	19	27	24	25	25	30	32	15	19	6	1	537	
IV.—Developmental Diseases 1. Diseases of Children—(Cyanosis, Teething, &c.) 2. Diseases of Adults—(Paramenia, Childbirth, &c.) 3. Diseases of Old People—(Old Age, &c.) 4. Diseases of Nutrition—(Atrophy, Debility)									1	2	8	7	8	10				6	6	 16	31		107 36 59 119	3:77
Total	. 185	37	2	2		226			1	2	8	7	8	10				6	6	16	31		321	
V.—Violence 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation Wounds, &c.) 2. Homicide—(Murder and Manslaughter) 3. Suicide—(Poison, Drowning, Hanging, &c.) 4. Execution—(Hanging)	7			4			20	14	7	6 1	3 1		3		3 2	3	7	2	1	3			115 2 3	
Total	. 7	5	14	4	3	33	20	14	7	7	4	5	3	6	5	3	7	2	1	3			120	
Unspecified								1	1	1	1												4	0.25
Totals from all Causes	. 487	165	68	42	18	780	79	53	47	42	66	53	62	65	49	44	54	51	32	44	40	1	1562	100.00

G 3.

SUMMARY of DEATHS of Both Sexes registered in the Country Districts, from 1st January to 31st December, 1870.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	ş	Total of all ages.	Per-centage on total Deaths— Country Districts.
I.—Zymotic Diseases.																								
1. Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) 2. Enthetic Diseases—(Syphilis, Genorrhœa, &c.) 3. Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) 4. Parasitic Diseases—(Thrush, Worms, &c.)	2	133	58 2	38 2 1	23	454 2 5 14	2	34	24	22	33 1 	17 2 	12 3 8 	18 1 1	8 3 	10 3 	15 1 1 	3 1 2 	17 1 2 	11 1 1	9 1	3 4	757 12 34 15	17·70 0·28 0·80 0·35
Total	215	135	60	41	24	475	70	34	24	22	34	19	23	20	11	13	17	6	20	13	10	7	818	
II.—Constitutional Diseases.																								
1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.)	1 45	2 32	2 9	1 7	2	6 95		1 5	2 13	5 15	3 34	3 27	13 20	12 27	14 29	21 16		19 13	16 5	10 1	9	2 2	160 319	3·74 7·46
Total	46	34	11	8	2	101	8	6	15	20	37	30	33	39	43	37	33	32	21	11	9	4	479	
III.—Local Diseases.																	-		-					
1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity, Cephalitis) 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease) 3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.) 4. Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) 5. Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) 6. Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus Disease, &c.). 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.) 8. Diseases of Integumentary System—(Phlegmon, Ulcer, Skin Disease, &c.)	6 78 51 5 	39 1 32 10 2 	9 12 3 2 	10 9 1 1 	3 2 5 1 	339 9 136 66 10 1	1 18 6	7 4 6 3 1 	9 2 6 7 1 2	12 5 7 6 3 	11 7 8 9 2 4 	14 18 15 15 3 	28 19 18 15 1 1	21 25 16 11 7 2 1	31 29 21 16 1 1	29 31 30 22 1 3 1	24 22 16 29 5 1 	30 25 31 20 4 1 	15 23 21 15 4 	21 11 23 9 4 1	18 11 15 4 	4 5 6 4 1 	620 247 393 257 50 13 7 8	
Total	420	84	26	21	11	562	34	21	27	34	41	65	83	83	100	118	97	111	80	70	49	20	1595	
IV.—Developmental Diseases.																								
1. Diseases of Children—(Cyanosis, Teething, &c.) 2. Diseases of Adults—(Paramenia, Childbirth, &c.) 3. Diseases of Old People—(Old Age, &c.) 4. Diseases of Nutrition—(Atrophy, Debility)		47 24	5	2		226 257	 1		1	2	8	 7 	8	10			 1	 19 	37	79	125		226 36 260 259	6.08
Total	405	71	5	2		483	1		1	2	8	7	8	10			1	19	37	79	125		781	
V.—Violence. 1. Accident or Negligence—(Fractures, Contusions, Burns, Drowning, Suffocation Wounds, &c.) 2. Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds) 3. Homicide—(Murder and Manslaughter) 4. Suicide—(Poison, Drowning, Hanging, &c.) 5. Execution—(Hanging)	22	22	27	12	15	98	59	33	23	38 1	49 1 3	44 3 2	40 3	40 4	25 3	25 3 	21 1	21	8	10 1	2	10	546 5 21	0.12
Total	22	22	27	12	15	98	59	33	23	39	53	49	43	44	28	28	22	21	8	11	2	11	572	
Unspecified							2	2	1	2	1	1	2	5	1	3	-	-			1	7	31	
Totals from all Causes	-							96	91		174	171	192		183									

H.

SUMMARY of DEATHS of BOTH SEXES registered in the Colony of New South Wales, during each Month of the Year 1870, classified under the heads of the several Causes of Death.

	Janu	iary.	Febru	iary.	Mar	ch.	Apr	ril.	Ma	y.	Jur	ne.	Jul	y.	Aug	ust.	Septer	nber.	Octo	ber.	Nover	nber.	Decen	ber.	Tot	tal.	tai.	re on the of
CAUSES OF DEATH.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total.	Per-centage on total Deaths of the Year.
IZymotic Diseases.								-																		1		
 Miasmatic Diseases—(Scarlatina, Diphtheria, Dysentery, Fevers, &c.) Enthetic Diseases—(Syphilis, Gonorrhea, &c.) Dietic Diseases—(Privation, Scurvy, Delirium Tremens, &c.) Parasitic Diseases—(Thrush, Worms, &c.) 	2 5 2	₂	7 2		4 1	1 1 2	1 5 2	1	 6 1	2	2 4	1	2 1 2	2	 5	1 1 	4	2 2	3		₅	1 3 1	3	1 1 1	11 52 12	6 12 10	17 64 22	
Total	81	69	87	53	71	71	64	57	59	64	49	48	30	45	29	40	27	28	23	28	64	43	57	55	641	601	1242	
II.—Constitutional Diseases.																												
1. Diathetic Diseases—(Gout, Dropsy, Cancer, &c.) 2. Tubercular Diseases—(Scrofula, Phthisis, Hydrocephalus, &c.)	26	24	$-\frac{12}{32}$ $-\frac{44}{44}$		$\frac{12}{24}$	$\frac{9}{22}$	$\frac{7}{30}$		33		$\frac{14}{33}$	18 26	$\frac{14}{34}$	$\frac{11}{17}$	34	16	25	$\begin{array}{c} 6 \\ 13 \\ \hline 19 \end{array}$		$\frac{11}{17}$		$\frac{12}{17}$		33	339	$ \begin{array}{r} 100 \\ 252 \\ \hline 352 \end{array} $	591	3·52 9·01
Total	*±0	0.3	-2-2	20		- 01																			110			
1. Diseases of the Nervous System—(Apoplexy, Paralysis, Insanity,		40	43	30	48	33	43	28	61	36	42	34	43	26	56	21	43	15	4.9	30	53	34	46	22	589	358	947	14.44
Cephalitis) 2. Diseases of the Organs of Circulation—(Pericarditis, Aneurism, Heart Disease)					22		11			12		7		9		10		9									399	
3. Diseases of the Respiratory System—(Bronchitis, Pneumonia, Asthma, Pleurisy, &c.)	31		24	16	24	21	23	19	28	17	36	16	47	27		34		22								247		
 Diseases of the Digestive Organs—(Gastritis, Enteritis, Peritonitis, Hernia, &c.) Diseases of the Urinary Organs—(Nephritis, Ischuria, Diabetes, &c.) Diseases of the Organs of Generation—(Ovarian Dropsy, Uterus 	25 3	1	3	3	7	10	24	18 1	5	12	- 1		7		4	2	7	12	19 5	1	23 4					157 12		6·67 1·18
Disease, &c.) 7. Diseases of the Joints—(Arthritis, Ostitis, Periostitis, &c.)	1		2		 2 3		1				 1 1	1	2		2	1									 7 12	1	8	0 = 1
Total	152	81	112	86	128	77	109	78	145	78	128	79	150	77	166	82	138	59	128	70	134	86	121	66	1611	919	2530	
IV.—Developmental Diseases.																												
1. Diseases of Children—(Cyanosis, Teething, &c.) 2. Diseases of Adults—(Paramenia, Childbirth, &c.) 3. Diseases of Old People—(Old Age, &c.) 4. Diseases of Nutrition—(Atrophy, Debility) Total	19 30	9		$\begin{array}{c} 3\\4\\21\end{array}$	23 22	2 9 24	$ \begin{array}{c} 15 \\ \\ 12 \\ 26 \\ \hline 53 \end{array} $	5 7 25	23 20	$\begin{array}{c} 1 \\ 8 \\ 15 \end{array}$	$ \begin{array}{r} 16 \\ \\ 25 \\ 18 \\ \hline 59 \end{array} $	3 9 8		5 16 11	22 21	10 9 16	$ \begin{array}{r} 17 \\ \\ 26 \\ \underline{14} \\ 57 \end{array} $	6 8 18	23 15	6 6 12	$ \begin{array}{r} 17 \\ $	2 5 23	10 36	3 15 20	 244 271	46 105	46 349 483	7.37
VViolence.	-				-																							
 Accident or Negligence—(Fractures, Contusions, Burns, Drowning Suffocation, Wounds, &c.) Wounds in Battle—(Gunshot Wounds, Sword, Bayonet, or other Wounds.) 	37				48						42		26			14				16		7	53	12	499	136	635	9.68
3. Homicide—(Murder and Manslaughter) 4. Suicide—(Poison, Drowning, Hanging, &c.) 5. Execution—(Hanging)	2	2	1 3 	₁	1 1		1 2		₂		 1	₁			6	-	1		4		 1 3	 	2		 4 29	6	9 35	0 10
Total	-	_ 11		8		18			$\frac{62}{2}$				28		-	14		-	43	17	47	8	-	-		147	-	
Unspecified			333		$\frac{6}{350}$		315				$\frac{3}{329}$							-		171	$\frac{1}{332}$	$\frac{4}{212}$		221	$\frac{36}{4009}$	$\frac{13}{2549}$	$\frac{49}{6558}$	$\frac{0.75}{100.00}$

Table showing the Deaths which have occurred from the causes stated, in each of the several Wards of the City of Sydney, from 1st January to 31st December, 1870, distinguishing those under five years of age.

	-	Gip	os.	1	Bour	ke.	Br	isba	ne.	Mad	equa	rie.	C	ook		F	itzro	у.	P	hilli	р.	De	enis	on.	То	tal I		s from	m ea	ch ca
CAUSES OF DEATH.	Under.	Over.	Total.	Under.	Over.	otal.	Under.	Over.	Total.	Juder.	Over.	otal.	Jnder.)ver.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Jnder.	Over.	Total.	1870.	1869.	1868.	.867.	1866.	1865.
Class I.—Order 1.			1			L	1		L		0	L	1		T	1		L			L			1	1	1		1	1	1
1. Small-pox																				2.1		1				0		469		
2. Measles 3. Scarlatina Diphtheria				1		1													1		1	1			3	19	57		12	26
4. Quinsy													1		1											1	3	2	2	28 3
5. Croup		l					1		1				1		1	2	1	2			1	.1		1	8 5	46	30	34	12	30
7. Typhus (and Infantile Fever) 8. Erysipelas				1	18		1			1			2	1	6		6	9			6				50	72 5	73 2	71 2	73 3	35 6
9. Metria 0. Carbuncle		1			1	1		1	1					2	2		3	3							7	8	2 12	14	9	
1. Influenza 2. Dysentery						6								1	6	1		1			1	2	1	1 3	2					2 40
3. Diarrhœa 4. Cholera	9	2	11	3	7	10	8	2	10	3	1	4	22		22			30 4	10	1	11	9	1	10	108	73 6	95	156	154	134
5. Ague																									7			7	6	9
6. Remittent Fever					2			1	1					1	1		1	1		1	1				6	6	1 6	3	6 10	6
Order 2.	14	6	20	7	34	41	11	7	18	5	5	10	32	9	41	43	22	65	16	9	25	14	3	17	237	307	383	906	395	331
1. Syphilis	2		2		1	1														1	1				4	5	7	5	7	6
2. Stricture of the Urethra 3. Hydrophobia								1	1																1	1	5		6	
4. Glanders																														
Order 3.	2		2		1	. 1		1	1											1	1				5	6	12	5 —-	13	6
1. Privation	1															1		1		1	1				4	1	8	4	6	7
2. Want of Breast-milk 3. Purpura and Scurvy					1	1			1				2		2	2	···		1.		1	1.		1	7 2	8	8	7	14 2	9
4. Alcoholism— α Delirium Tremens b Intemperance					4	4					1	1											1	1	6	8	5	3	3	10
b Intemperance										-	-									1_	1		1	1	5	12	3	2	12	14
Order 4.	1		1		7	7	1	1	2	1	1	2	2		2	3	1	4	1	2	3	1	2	3	24	30	27	17	37	43
1. Thrush													1		1	3		3	2.		2	1.		1	7	1	1	3	11	5
2. Worms, &c.																										2	2	4		2
													1	. , ,	1	3		3	2.		2	1.		1	7	3	3	7	12	7
Total, Class I	17	6	23	7	42	49	12	9	21	6	6	12	35	9	44	49	23	72	19 1	2	31	16	5	21	273	346	${425}$	935	457	387
Class II.—Order 1.																				- -										
1. Gout 2. Dropsy			2		1	1 14			1					1									1	1	3					1
3. Cancer 4. Noma		2	2		9	9			4					3	3		7	7		1	1		2 2	2 2	22 28	19	26	19 19		16
5. Mortification					2	2										1									1 2	1	1 4	4	3	3
Order 2.	1	3	4		26	26		5	5		2	2		4	4	1	8	9		1	1		5	5	56	33	49	43	45	40
1. Scrofula		1	1		3		1		2										1.		1	1.		1	8	10	14	11	15	10
2. Tabes Mesenterica		9	9	2	1 48	3 48	5	6	5	1	5	1 5	7		7 13	10	20	10	1.		1	6		6	33	23	20	25	$\begin{array}{c} 25 \\ 118 \end{array}$	15
3. Phthisis	2		2	4	1	5	1		1				2		2	4		4	3.		3	2		2	19	14	4		11	
	2	10	12	6	53	59	7	7	14	1	5	6	9	13	22	14	20	34	5	9	14	9	12	21	182	148	153	190	169	153
Total, Class II	3	13	16	6	79	85	7	12	19	1	7	8	9	17	26	15	28	43	5]	10	15	9	17	26	238	181	202	233	214	193
Class III.—Order 1.																														
1. Cephalitis	6	1	7	2		2	1		1				11		11	4	$\begin{array}{c} 1 \\ 10 \end{array}$	5	1.		1	4	1		32	42	48	49	30	
2. Apoplexy		1	1		6	6					1	1		2	2		10	4		3	3		4	4	42 18	40 20	43 18	26 16	30 22	39 17
3a Sunstroke													•••		•••											1			2	
Carried forward																,														

I—continued.

	(Gipp	os.	В	ourl	ce.	Bı	isba	ine.	Mac	qua	rie.	C	ook	.	F	itzro	y.	Pl	hilli	р.	De	nisc	on.	Tot	tal D		fron		h cau	se
CAUSES OF DEATH.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	1870.	1869.	1868.	1867.	1866.	1865.	1864.
Class III—Order 1—continued.																															
Brought forward																											-				
4. Insanity 5. Chorea 6. Epilepsy 7. Convulsions 8. Brain Disease, &c.	1 11	1 1	2	3	2	2 3				2		2	 13 4	1 1	 1 14 8	20	 2 2	20		2	11	1		 1 15	10 87 21	83	7 91	 5 105 26	73	10 60	108
Order 2.	20	6	26	5	22	27	11	7	18	2	5	7	29	11	40	25	19	44	16	6	22	20	6	26	210	217	234	227	196	180	243
1. Pericarditis 2. Aneurism 3. Heart Disease, &c.		7	7		7 32	7 32		7	7			2		5	1 1 5	1	1 21	22		1 1 9	1		1 1 5	5	12	7 13 84		11	4	3 1 62	1
Order 3.		7	7		40	40		7	7		4	4		7	7			23		11	11		7	7	106	104	84	78	76	66	58
1. Laryngitis. 2. Bronchitis. 3. Pleurisy. 4. Pneumonia 5. Asthma 6. Lung Disease, &c.	3 1	2 1 3 3	1 6 4	3 2	14 2 7 1 8	17 2 9 1 8	6	1 6 2	6 1 12 3	2	1 3 1	3 5 1	1 6 	5 2 1 2	1 8 1 2	2	1 8 1	1 10 1	2 5 	2 1	7 1	3	4	7 2	101	11 60 3 25	16 55 6 17	7 44 5 17	5 33 8 19	6 30 2 30	3 24
Order 4.	7	9	16	5	32	37	12	11	23	4	5	9	12	10	22	9	16	25	7	6	13	10	13	23	168	169	154	174	146	115	137
1. Gastritis 2. Enteritis 3. Peritonitis. 4. Ascites 5. Ulceration of Intestines 6. Hernia 7. Ileus 8. Intussusception 9. Stricture of Intestines. 10. Fistula 11. Stomach Disease, &c. 12. Pancreas Disease, &c. 13. Hepatitis 14. Jaundice 15. Liver Disease, &c.	. 1	1 1 1 2 2 3	1 1 1 2 2 3	1	1 2	1 4 4 1 2 1 1	5	1 4	1		····	2	3		 2 1 3 	4	1 1 	6 1 1 2 2 1	2 1	1 1 1 1	1 2 1 	1 1	1 1 2	1 1 1 1 1 1 3 2	27 7 9 1 9 1 1 6 9	16 1 2 3 2 11 10 1	27 9 1 3 1 3 3 12	25 7 2 4 2 5 1 10 6 2	21 8 1 2 5 1 9 8	19; 6 4 3 1 2 4 10 12 3	13 6 2 5 3 10 6 1
Order 5.	8	11	19	3	16	19	7	6	13	3	2	5	9	12	21	5	14	19	4	9	13	3	6	9	118	120	85	115	94	102	130
1. Nephritis 2. Ischuria. 3. Nephria. 4. Diabetes. 5. Stone 6. Cystitis 7. Kidney Disease, &c.					1	1		1	1		1	1		1			 2 1 1	2 1 							 4 3 1 2 8	2 2	8 1	1 2 1		 4 1 1 4	2 2 3 4 4
Order 6.		1	1		7	7		1	1		1	1		2	2		5	5					1	1	18	27	21	12	14	27	15
1. Ovarian Dropsy																	1						1	1	$\frac{1}{2}$		1 9				1 5
Order 7.																	2	2					1	1	3	4	10	3	8	1	6
1. Arthritis																								• • • • • • • • • • • • • • • • • • • •	1	3		2	1 6	6	1 2
Order 8.		1	1			0.00										• • • •									1	3	2	2	7	6	3
1. Phlegmon 2. Ulcer 3. Skin Disease, &c.					2	2		1	1								1 1 2	1	 1 1		1			• • • • • • • • • • • • • • • • • • • •	4 2	1	4	1		5 2 7	1
Total Class III	35	35	70	13	119	132	30	33	63	9	17	26	50	42	92	40	80	120	28	32	60	33	34	67	630	647	596	612	542	504	593

\mathbf{I} —continued.

		Gip	ps.	I	Bour	ke.	B	risb	ane.	Ma	equa	arie.	(Cool	۲.	F	itzro	у.	I	Phil	lip.	D	enis	on.	Tot	al D	eaths	s from Sydn		h ca	ase
CAUSES OF DEATH.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	Under.	Over.	Total.	1870.	1869.	1868.	1867.	1866.	1865.	1864.
Class IV.—Order I.																															
1. Premature Birth	2		2	2		2	7		7	3		3	2		2	5		5	5		5	6		6	32	32	33	23	23	20	
3. Spina Bifida												1					•••													1	3 1
4. Other Malformations 5. Teething	1		1	3		3	2		2	3		3	10		$\begin{array}{c} 2 \\ 10 \end{array}$	3		3	9		9	6		6			39		51	59	56
,	5		5	5		5	11		11	6		6	16		16	12		12	15		15	13		13	83	91	79	83	84	87	92
Order 2.																															
1. Paramenia			•••										•••							2	2				4		1	1			5
ar children (see Bresha)	-	_		-	1		-	-	1	-		-		-					-	2		-			4	3	1	2	3		5
Order 3.	-	-		-			-			-	_	-		-					-												
1. Old Age		7	7		13	13		3	3		3	3		7	7		10	10		5	5		4	4	52	35	46	33	33	37	33
	-									-																					
Order 4.																															
1. Atrophy and Debility	6		6	3	1	4	6	1	7	8		8	23	2	25	25		25	24	1	25	17	2	19	119	120	122	123	126	81	98
Total, Class IV	11	7	18	8	15	23	17	5	22	14	3	17	39	9	48	37	10	47	39	8	47	30	6	36	258	249	248	241	246	213	228
Class V.—Order 1.—Accident or Negligence.																															
1. Fractures and Contusions				2	12	14		1									2			2	2				20	16	30				
2. Wounds 3. Burns and Scalds				1	1	2	1	1	2				2	1	2	5	· · ·	5						2			11		6 9	3 12	13 14
4. Sunstroke 5. Poison 6. Drowning									•••			1	1		1		1				•••		1	1	3	1	1	3 2	2	2	1
7. Suffocation	1		1		7		2	1	3	1		1	1		1		1		3		3			5				22 2	22 4	16 2	1
8. Otherwise		-	1	-	20			-	10		1			1	5	6		10	-			···· 1	8			47	62	60	75	62	90
Order 2.—Violent Deaths in Battle.	_			-			4	-		_	1	2	4	1	9	-			-	_		1	0	9	69	47	02	09	70	02	00
1. Gunshot Wounds							1	1																							
2. Sword and Bayonet Wounds 3. Otherwise						•••			•••							••••															
Order 3.—Homicide.									• • • •							• • •	•••	,								• • • • •					
Murder and Manslaughter			,		1	1			•••										1		1				2	6	1	1	3		3
		_		-			-	_		_	-				77				-	_											
Order 4.—Suicide.																															
1. Wounds { Gunshot Cut, Stab, &c					1	1			1														3	3	2 4	2 2	4	1	1	4	3 3
2. Poison					1	1		1	1																2	3		2	3	1	7
4. Hanging															• • • • • • • • • • • • • • • • • • • •		•••	• • • • • • • • • • • • • • • • • • • •								1			1		2
Ondon 5 Errountion					3	3		2	2														3	3	8	10	4	3	6	5	15
Order 5.—Execution.																											7	2	3		1
1. Hanging Violent Deaths (not classed)		-							•••									•••	-			-		•••		•••	1			••••	
Total, Class V	-	-		_	24		4		12	7	1	2	4	1	5	6		10	4	2		1	11	12	75	63	68	76	87	67	99
Sudden Deaths (cause un-ascertained)	_			-				-			-			-					-												
Causes not specified, or ill- defined		-	2				-				-			-				4	-			-					60		56	58	48
Grand Total							-				_	4		_																	
		1								(-								1												

J.

Births and Deaths occurring at Sea, registered in the Colony of New South Wales, from 1st January to 31st December, 1870.

			Births.			Deaths.	
	Where registered.	Males.	Females.	Total.	Males.	Females.	Total.
Sydney		1	3	4	34	2	36
					3		3
	Total	1	3	4	37	2	39

K.

RETURN of the REGISTRATION DISTRICTS, with the Names of the Persons holding the office of District Registrar.

District.	Name of Registrar.	Date of Appointment.	District.	Name of Registrar.	Date of Appointment.
1 Sudney	The Registrar General	15 Dec., 1870	47. Menindie	James Mair, P.M.	9 July, 186
1. Sydney	William Parker, chemist	4 July, 1861	48. Moama	Hamilton H. M'Leod	1 Oct., 186
3. Concord	John Watts, Schoolmaster	3 Sep., 1860	49. Molong	T. Finch, C.P.S.	10 Nov., 187
4. The Glebe	John Thomas Morgan	1 April, 1868	50. Morpeth	John Gilfillan	29 Dec., 186
5. Newtown	Chas. Alfred Newman	9 April, 1857	51. Moulamein	Thomas Linton	13 July, 186
6. Paddington	Henry Gale	1 July, 1863	52. Mudgee)	Geo. Leary, C.P.S.	1 Jan., 187
7. Redfernand Botany	Christopher Warburton	30 Oct., 1865	Gulgong	Lester S. Donaldson, C.P.S.	2 Oct., 187
8. St. George	Theophilus Henry Bolger	13 Oct., 1866	Guigong	Assistant D.R.	2 0000, 200
9. St. Leonards	Robert D. Ward, Surgeon.	28 Feb., 1856	53. Murrurundi	George G. Brodie, C.P.S.	2 Aug., 186
10. Albury	Edwd. Brown, C.P.S.	2 Aug., 1869	54. Muswellbrook	Timothy Foley, C.P.S	1 Dec., 186
11. Armidale	Sydney Blythe, C.P.S	2 Aug., 1869	55. Newcastle	John Burrowes, T.C.	28 Feb., 185
12. Balranald	Robt. B. Mitchell, C.P.S.	7 Feb., 1867	56. Nundle	C. B. Collett, J.P.	19 Oct., 187
13. Bathurst	Fredk. B. Hales, C.P.S	1 Sept., 1869	57. Orange	Wm. T. Evans, C.P.S	20 Feb., 185
14. Bega	John Davis, C.P.S.	1 Jan., 1871	58. Parramatta	George Langley, C.P.S	2 Aug., 186
15. Berrima	Thomas Garrett, P.M	1 Sept., 1871	59. Paterson	B. Newbury, surgeon	22 Mar., 185
16. Binalong	Wm. J. E. Wotton, C.P.S.	2 Aug., 1869	60. Patrick's Plains	Wm. Dudding, C.P.S	2 Aug., 186
Grenfell	Wm. F. Parker, C.P.S	17 Feb., 1870	61. Penrith	John K. Cleeve, C.P.S	2 Aug., 186
17. Bombala	James Giles, C.P.S.	24 Jan., 1871	62. Picton	Wm. R. Antill	30 Mar., 185
18. Bourke	Henry C. Bobart, C.P.S	7 June, 1869	63. Port Macquarie	James P. Ormiston, C.P.S.	10 Nov., 186
19. Braidwood	Ralph Clemenger, C.P.S	2 Aug., 1869	64. Port Stephens	Thomas Laman, C.P.S	2 Aug., 186
20. Brisbane Water	Thos. C. Battley, C.P.S	9 July, 1856	65. Queanbeyan	Fredk. B. Russell, P.M	1 July, 186
21. Broulee	W. Stewart Caswell, P.M.	28 Feb., 1856	66. Raymond Terrace	Wm. Gloag	28 Feb., 185
22. Camden	John B. Martin, C.P.S	14 Aug., 1856	67. Richmond	John Ducker	5 Feb., 186
23. Campbelltown	W. J. Wilshire, C.P.S	2 Aug., 1869	68. Richmond River	Henry E. Stratford, C.P.S.	18 Nov., 187
24. Carcoar	Edwd. J. C. North, C.P.S.	1 May, 1865	69. Ryde	Geo. M. Pope, C.P.S	30 Mar., 188
25. Cassilis	John Morris, C.P.S	26 Mar., 1856	70. Rylstone	W. W. Armstrong, C.P.S.	5 Mar., 185
26. Clarence Town	David Farquhar	30 Mar., 1857	71. Scone	Fredk. R. Wilshire, C.P.S.	14 Nov., 186
27. Cooma	Adolphus Nordblad, C.P.S.	1 Sept., 1869	72. Shoalhaven	Wm. Lovegrove, C.P.S	2 Aug., 186
28. Coonabarabran	Fredk. W. Edwards, C.P.S.	25 Nov., 1863	73. Sofala	Chas. G. Smith	1 June, 187
29. Cowra	John Atkins, C.P.S	14 Nov., 1870	74. Tambaroora	Joseph W. Lees, C.P.S	1 Jan., 187
30. Deniliquin	John A. Broughton, C.P.S.	23 Jan., 1865	75. Tamworth	John M'Donald, C.P.S	9 May, 188
31. Dubbo	Luke M'Guinn, C.P.S	1 Aug., 1863	76. Tenterfield	James B. Graham, C.P.S.	19 Dec., 187
32. Dungog	Henry Gordon, C.P.S	1 Nov., 1859	77. Tweed River	James Bray	14 Oct., 186
33. Eden	C. D. Hays, C.P.S	3 Aug., 1865	78. Tumut	Henry Hilton	15 Jan., 187
34. Forbes	Jas. T. Wilshire, C.P.S	1 July, 1869	79. Ulladulla	John V. Wareham, C.P.S.	2 Aug., 186
35. Goulburn	Chas. S. Alexander, C.P.S.	31 Mar., 1862	80. Wagga Wagga	Edwin H. Tompson, C.P.S.	2 Aug., 186
36. Grafton	Wm. H. H. Becke, C.P.S.	2 Aug., 1869	81. Walgett	Thomas Betteridge, P.M.	1 Jan., 186
37. Gundagai	Alfred C. S. Rose, C.P.S	8 July, 1871	82. Warialda	Rd. H. Fitzsimons, C.P.S.	22 Nov., 186
88. Hartley	Wm. P. Macdermott,	25 July, 1869	83. Wee Waa	C. E. Smith, P.M	16 May, 185
	auctioneer.		84. Wellingrove	G. Martin, C.P.S	20 Oct., 187
39. Hay	John F. Blake, C.P.S	13 June, 1870	85. Wellington	Fredk. Marsh, C.P.S	28 April, 186
O. Inverell	J. W. A. White, C.P.S	13 Aug., 1867	86. Wentworth	W. L. Richardson, Acting.	17 July, 187
1. Kiama	Henry Connell, C.P.S	5 June, 1863	87. Windsor	Wm. H. Thomas, C.P.S	17 Dec., 187
12. Liverpool	Wm. Long, schoolmaster	8 June, 1866	88. Wollombi	Thomas S. Townshend	31 Mar., 186
3. Manning River	Jasper Creagh, C.P.S	15 May, 1856	89. Wollongong	Alfred A. Turner, C.P.S	2 Aug., 180
4. M'Donald River	John Pescud	21 Feb., 1859	90. Yass	Leopold Yates, C.P.S	17 June, 187
45. Macleay River	Wm. H. Thornton, J.P		91. Young	J. R. Edwards, C.P.S	2 Aug., 186
6. Maitland	Daniel Carter	14 Aug., 1856			